

ZFX STACK PACKAGE / ZFX CONTROL PACKAGE

ZFX Plug-in

Operation Manual



ZOOM

©ZOOM Corporation

Reproduction of this manual, in whole or in part, by any means, is prohibited.

Software License

Zoom Corporation grants the right to use the ZFX Plug-in, provided that you agree with all conditions listed below.

Using the software is considered acceptance of these conditions.

- Zoom Corporation holds the copyright to the software and the accompanying documentation, and all associated rights. All rights revert to Zoom Corporation.
- Unauthorized redistribution, sale, leasing, renting, alteration, or reverse engineering of the software is prohibited.
- The software may not be used for purposes that infringe on the copyright of third parties. Zoom Corporation does not bear liability for cases where the software is used for any such purpose.
- Zoom Corporation does not bear liability for any damages or claims from third parties arising from the use of the software, whether directly or indirectly. If the contents of a hard disk are lost due to use of the software, Zoom Corporation does not accept any claims for restoring or preserving such contents.
- Features and specifications of the software and the contents of the documentation may be changed in future without notice.

※Microsoft, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation in the U.S.A. and in other countries.

※Mac, Mac logo, Macintosh, Mac OS, and Apple are registered trademarks of Apple Computer in the U.S.A. and in other countries.

※Intel, Pentium and Core are the registered trademark of Intel Corporation.

※AMD and Athlon are the registered trademark of Advanced Micro Devices Inc.

※VST PlugIn Interface Technology by Steinberg Media Technologies GmbH.

※Steinberg, Cubase and VST are registered trademarks of Steinberg Media Technologies GmbH.

※Adobe and Adobe Acrobat are registered trademarks of Adobe Systems Incorporated.

※MIDI is registered trademark of Association of Musical Electronics Industry (AMEI).

※All other trademarks, product names, and company names mentioned in this document are the property of their respective owners.

※All trademarks and registered trademarks mentioned in this manual are for identification purposes only and are not intended to infringe on the copyrighted properties of their respective owners.

Contents

Introduction	005
Features of USB Audio Interface S2t / USB Audio Interface C5.1t	005
Features of ZFX Plug-in	006
Controls and Functions of ZFX Plug-in	007
Quick Guide	008
Starting up	008
Selecting input source	009
Selecting patches	009
Controlling Amplifiers	011
Magnifying and scrolling the Effect Area	012
Controlling Effectors	013
Selecting Instruments	014
Storing patches	016
Signal Control Area	019
Controls and Functions	019
Selecting input source	020
Selecting pickups	020
Showing/Hiding frames	021
Adjusting patch level	022
Adjusting master level	022
About the connection state	023
Basic Operation	024
Catalog	025
Starting up the Catalog	025
Catalog - Basic operation	026
Turning pages	026
Turning a number of pages	027
Jumping pages by index	028
Jumping to detail page	029
Selecting Instruments from detail page	030
Amplifying Area	032
Controls and Functions	032
Amplifier Section - Basic operation	032
Setting Amplifiers	032
Adjusting Amplifiers	034
Deleting Amplifiers	034
Booth Section - Basic operation	035
Setting Cabinets and Microphones	035
Deleting Cabinets and Microphones	036
Replacing Microphones	037
Adjusting the microphone distance	037
Adjusting the microphone position	038

Effect Area	039
<u>Controls and Functions</u>	039
<u>Signal flow of Effect Area</u>	039
<u>Selecting/Adjusting instruments</u>	040
<u>Setting instruments</u>	040
<u>Positioning instruments</u>	041
<u>Adjusting instruments</u>	042
<u>Deleting instruments</u>	042
<u>Magnifying and Scrolling</u>	043
<u>Magnifying the Effect Area</u>	043
<u>Zooming up the instrument</u>	044
<u>Zoom to next instrument</u>	045
<u>Scrolling the Effect Area</u>	045
<u>Wiring shields</u>	046
<u>Connecting a shield</u>	046
<u>Changing the shield connection</u>	047
<u>Connecting directly to input / output</u>	048
<u>Deleting shields</u>	049
<u>Splitters and Mixers</u>	050
<u>Operating Splitters</u>	050
<u>Operating Mixers</u>	051
<u>Amplifier Module</u>	054
<u>Operating Multiple Amplifier Modules</u>	054
<u>Deleting Amplifier Modules</u>	055
Patch Management	056
<u>Starting up the Patch Manager</u>	056
<u>Operating patches</u>	057
<u>Selecting patches</u>	057
<u>Storing patches</u>	059
<u>Storing to certain destination</u>	060
<u>Ordering patches</u>	063
<u>Renaming patches</u>	065
<u>Deleting patches</u>	066
<u>Clearing the current setting</u>	067
<u>Exporting current setting</u>	068
<u>Importing current setting</u>	069
<u>Operating banks</u>	071
<u>Creating a bank</u>	071
<u>Ordering banks</u>	072
<u>Renaming banks</u>	073
<u>Deleting banks</u>	074
<u>Exporting banks</u>	076
<u>Importing banks</u>	077
Bypassing Area	080
<u>Controls and Functions</u>	080
<u>Bypassing the sound</u>	080

Muting the sound	081
Comparing current and original state	081
Tuner	082
Starting up the tuner	082
Using the chromatic tuner	083
Adjusting the calibration	085
Dropping halftone	085
Dropping whole tone	085
Using other tuner types	086
Expression pedal and foot switches	088
Starting up the Pedal/Switch Manager	088
The Pedal/Switch Manager with the C5.1t connection	088
The Pedal/Switch Manager with the S2t connection	089
Assigning parameters	090
Assigning parameters to expression pedal	090
Assigning parameters to foot switches	092
Adjusting the parameter range	093
Deleting the assignment	095
Assigning Global Settings	096
Assigning next/previous patch selection	096
Assigning next/previous bank selection	098
Assigning the patch selection	100
Assigning the bypass/mute function	103
Enabling the Global Setting	105
Canceling the assignment	105
Operating the machine image	106
Checking pedal assignments	106
Checking foot switch assignments	107
Switching USB Audio Interface S2t/USB Audio Interface C5.1t	109
Other functions	109
Targeting the instance	109
Receiving MIDI message	110
Adjusting pedal calibration	111
Standalone mode	115
Starting up the host application	115
Device Menu	116
Selecting ASIO driver	116
Configuring ASIO driver	116
Connect/Disconnect	118
File Menu	118
Setting BPM	118
Quitting application	119
Help Menu	120
Displaying the current version	120
Troubleshooting	121
Appendix	

Introduction

Thank you for selecting the ZFX Stack Package/ZFX Control Package. This manual covers both the ZFX Stack Package and the ZFX Control Package. In order to take full advantage of their versatile functions and to ensure trouble-free enjoyment, please read this manual carefully. Keep this manual in a safe place together with the warranty card.

Features of USB Audio Interface S2t / USB Audio Interface C5.1t

The USB Audio Interface S2t / USB Audio Interface C5.1t (simply called the “S2t”, “C5.1t” in this manual) are the USB audio interface with following features.

- **Real time control with the expression pedal**

The C5.1t has a built-in expression pedal unit as standard, and for the S2t, the external pedals (FP01/FP02) are available optionally. With these expression pedals, you can adjust the effect tone or volume in real time.

- **Tube powered Accelerator**

The analog input stage features an Accelerator that lets you freely mix the signals amplified by a vacuum tube circuit and a solid-state circuit. In this way, you can add characteristics tube compression and distortion to a clean sound.

- **Programmable function foot switches**

The C5.1t has five built-in foot switches, and for the S2t, the external foot switch(FS01) is available optionally. With these switches, you can program the functions such as switching amp channels, setting delay time, switching patches, and various other tasks.

- **Support for a wide range of input sources**

Input connectors are compatible with high-impedance sources and 48V phantom power. These allow the unit to handle any kind of source, from electric guitar/bass and other high-impedance instruments to dynamic/condenser microphones, synthesizers and other line-level equipment.

- **Software copy protection**

S2t/C5.1t works as a hardware key to prevent copies. Please make sure that S2t/C5.1t is connected to your computer before starting up ZFX Plug-in. ZFX Plug-in works only when S2t/C5.1t is connected properly.

Features of ZFX Plug-in

The ZFX Plug-in is a VST plug-in effect with the following features.

● **Ready-to-use patches**

Effect module combinations and settings can be stored and recalled as “Patches”. The ZFX Plug-in offers more than 300 ready-to-use patches, and you can store them as many as you want as far as your hard disk drive has enough space.

● **The stimulating Catalog**

ZFX Plug-in offers you 78 effects, including amplifiers, effectors and microphones, through a catalog style console. Here, you can choose the instruments much easily and inspirationally while sound making.

● **Realistic amplifier/stomp box modeling**

The analog clip of the tubes and the diodes are simulated digitally, therefore, the distortion characters of tube amplifiers and vintage effectors are precisely modeled. This includes historical and fascinating models and recent popular models. The cabinet simulator brings you the natural reverberation, through the various microphones of variable position.

● **Freely editable effect chain**

The connections of effectors and amplifiers can be easily changed, by rewiring the shielded cables by mouse. You can freely position them, since there are no limits according to its category, such as drives, modulations, and reverbs, as in usual multiple effectors and plug-in effects. The number of amplifier/effector that can be used at the same time depends on your computer environment.

● **Built-in tuner supports special tuning requirements**

In addition to the standard auto-chromatic tuner, various other tuning methods are possible.

Please take time to read this manual carefully, in order to get the most out of your Z Stack Package/Z Control Package and to ensure optimum performance and reliability.

Controls and Functions of ZFX Plug-in



① Tool Area

The tool area contains four functions: Catalog (→P025), Tuner (→P082), Patch Management (→P056) and Pedal / Switch Manager (→P088).

② Signal Control Area

This manages the total signal flow of the ZFX Plug-in. In the Signal Control Area, you can select the input sources and guitar pickups, adjust the master level and other general parameters.(→P019)

③ Amplifying Area

The Amplifier section and the Cabinet Section belong to the Amplifying Area. At the Cabinet Section, you can adjust the microphone position.(→P032)

④ Effect Area

Here you can set, order, and adjust the various effectors such as drive, dynamics, modulation, reverb, and other.(→P039)


⑤ Bypassing Area

The Bypassing Area lets you set the bypass/mute condition of ZFX Plug-in. With the Current/Original button, you can compare the current patch setting and its original patch setting which had been recently stored. (→P080)


Quick Guide

Starting up

Using Windows, the application shortcut is located at [Start]-[Programs]-[ZOOM]-[ZFX Plug-in]-[ZFX Plug-in].



Using Macintosh, the application can be launched from "Macintosh HD"- "Applications"- "ZOOM"- "ZFX Plug-in".



To start up the ZFX Plug-in by standalone, select "ZFX Plug-in" as above.



NOTE

To start up from a DAW application as a plug-in, please refer the operation manual of your DAW application.

Selecting input source

At first, select the input source according to the input of S2t/C5.1t, which your instrument is connected.

When guitar/bass is connected to the Hi-Z input, this setting will be ignored. For details, refer "Selecting input source" (→P020)




Selecting patches

1. Click the [PATCH] button above the Tool Area.



The corresponding LED lights on, and the Patch manager comes available.



- Click a patch to load, from the PATCH SELECT list.



To view all patches, drag the scroll bar horizontally.

The patch will be loaded.



Controlling Amplifiers

At the Amplifying Area, you can adjust the knob, switches, microphone position, and other parameters of the amplifier, which are currently selected.

1. Drag the knob of the amplifier vertically.




The effect parameter will be adjusted according to the knob position.



NOTE


Each amplifier has different knobs and switches. Please refer the effect types and parameters for detail. (→Appendix)

2. Drag the microphone horizontally.



The effect tone gets adjusted according to the position. For instance, the hard and solid sound to the soft sound.

3. Roll the mouse wheel over the Booth Section.



As the microphone gets nearer or farther, the room reverberation changes.

Magnifying and scrolling the Effect Area

1. Roll the mouse wheel over the Effect Area.



The magnification ratio will be changed.



To magnify, you can also click the [+/-] icon in Effect Area (→P043)

2. Zoom in the Effect Area, and hover the mouse pointer over it. See the pointer changes its shape to a palm icon.



When the palm icon is displayed, you can drag the floor to scroll it.



Controlling Effectors

At the Effect Area, you can adjust the knob, switches, and other controls.

1. Click a knob of the instrument displayed in the Effect Area, and drag it vertically.



The effect tone will be adjusted according to the knob position.



NOTE

Each instrument has different knobs and switches. Please refer the effect types and parameters for detail. (→Appendix)

2. Click a foot switch of the instrument.



The instrument will be powered off, and bypassed. To enable it again, click the foot switch once more.



HINT

Instruments can also be turned off by clicking its LED.


Selecting Instruments

1. Click the [CATALOG] button above the Tool Area.




The corresponding LED lights on, and the Catalog comes available.

2. Click the index labeled as “GUITAR”, “BASS”, “CABINET” and other, at the right side of the Catalog.



The thumbnails for the amplifiers, cabinets, effectors, and other will be shown.



NOTE Refer P028 for the details of each category.

- To insert an instrument, drag-and-drop the thumbnail to the appropriate area/section.




The instrument gets inserted.

NOTE The amplifiers can be dropped to the Amplifier Section. The cabinets and microphones can be dropped to the Booth Section, and other instruments to the Effect Area.

- To delete the instrument, double-click the right button over it.



The instrument gets deleted.



The amplifiers, cabinets, and microphones can be deleted the same way. At the Effect Area, the [TRASH CAN] icon is also available.

Storing patches

To store the patch setting, follow the instruction below.

- Click the [PATCH] button above the Tool Area.




The corresponding LED lights on, and the Patch Manager comes available.

2. Click the [STORE] button to overwrite the current patch.




The current patch will be overwritten with the current setting.

3. To store the setting to the other patches, click the [STORE AS] button.



“Store as” dialog opens.

4. Select the target bank and patch and then click the [STORE] button.




The current setting gets stored to the patch, which you had selected.

Signal Control Area

The Signal Control Area manages the total input/output settings, such as volumes and input source selection. The details are as below.

Controls and Functions



- ① **[HORIZONTAL FRAME] button**
This lets you show/hide the horizontal frame.
- ② **[VERTICAL FRAME] button**
This lets you show/hide the vertical frame.
- ③ **INPUT SOURCE [L/R/STEREO] button**
This lets you select the input source.
- ④ **PICK UP SELECTOR [SINGLE/HUMBUCKER] button**
This could be switched according to your guitar pickup.
- ⑤ **Patch Name**
This displays the current patch name.
- ⑥ **[INPUT/OUTPUT] Level meter**
The input/output level will be displayed here.
- ⑦ **[PATCH LEVEL] knob**
This adjusts the patch level of the current patch.
- ⑧ **[MASTER] knob**
This lets you adjust the total output level.
- ⑨ **[CPU] meter**
This indicates the total CPU usage of the application.
- ⑩ **[ZFX Plug-in Logo mark]**
This indicates whether or not the S2t/C5.1t is connected to your computer. When S2t/C5.1t is connected properly, ZOOM Logo mark lights blue and indicates that ZFX Plug-in is available.

Selecting input source

1. When the instrument is connected to CH1/L input, click the INPUT SOURCE [L] button.



2. When the instrument is connected to CH2/R input, click the INPUT SOURCE [R] button.



3. When the instrument is connected to both CH1/L and CH/R inputs as a stereo source, click the INPUT SOURCE [STEREO] button.



When guitar/bass is connected to the Hi-Z input, this setting will be ignored.

Selecting pickups

For electric guitar/bass, the pickup selection have to be set correctly. When a electric guitar is on use, the indication "SINGLE" should be lit for single coiled pickups, and "HUMBucker" for humbucker pickups. For electric bass, the "SINGLE" is for passive type, and "HUMBucker" is for active type. To change setting, click the button.



For microphones and line input instruments, click the button above until it lights off.

Showing/Hiding frames

You can show/hide the frames with the [HORIZONTAL FRAME] button and the [VERTICAL FRAME] button.

1. Click the [HORIZONTAL FRAME] button at the Signal Control Area.



The Tool Area gets hid.



2. To display the all areas again, click the [HORIZONTAL FRAME] button once more.



The Tool Area will be shown.

3. Click the [VERTICAL FRAME] button at the Signal Control Area.



All areas excluding the Signal Control Area gets hid.



NOTE

The Tool Area is still hidden after the [VERTICAL FRAME] button is clicked once again. To show all areas, click the [HORIZONTAL FRAME] button.



HINT

The all areas are shown when the ZFX Plug-in is booted.

Adjusting patch level

Patch level is the output level for the patch setting. To adjust it, drag the [PATCH] knob vertically. 0dB will be the unity gain (no increasing or decreasing). To store this setting, click the [STORE] button at the Patch Manager. The patch level will be stored with the current patch setting. (→ P059)



NOTE

The setting you are currently editing gets lost when the new patch has been loaded. Store the settings as above if necessary. (→ P059)

Adjusting master level

The master level cannot be stored severally since it controls the total output level of the ZFX Plug-in. To adjust it, drag the [MASTER] knob vertically. 0dB will be the unity gain (no increasing or decreasing).



NOTE

The master level will not be stored as the patch setting.

About the connection state

When the S2t/C5.1t is connected properly to your computer, the [ZFX Plug-in Logo mark] at the Signal Control Area lights on. This lights off if no connection is detected.


**NOTE**

While using the ZFX Plug-in, please notice that the S2t/C5.1t is connected properly to your computer. When plug-in has been booted with no connection, the dialog appears as below. To continue, connect S2t/C5.1t and click [OK].



Basic Operation

Below is the basic operation for the ZFX Plug-in. At first, choose an instrument from the Catalog, and drag-and-drop it to corresponding area or section. The Amplifier Section is for amplifiers, the Booth Section is for cabinets and microphones, and The Effect Area is for other instruments.



At the Amplifier Section, you can control the knobs and switches to adjust the effect. At the Booth Section, microphone distance and position are adjustable for the better reverberation. You can also control the knobs and switches at the Effect Area. Here, the instruments can be wired freely with the shielded cables.

Catalog


The effect types can be selected through the Catalog. The Catalog contains the various effect types including the amplifiers and effectors. There are two types of pages: the thumbnail page, and the detail page.

Starting up the Catalog

Click the [CATALOG] button above the Tool Area.



The corresponding LED lights on, and Catalog comes available. Below is its detail page.



- ① **Category** This indicates the category of the instrument, which you are now viewing.
- ② **Effect type name** This indicates the name of the instrument.
- ③ **Effect type image** This is the image graphic of the instrument.
- ④ **Index** This lets you jump to the top page of each category.
- ⑤ **Detail description** This describes the character of the instrument.
- ⑥ **[NEXT][PREVIOUS] Button** These let you turn the pages.
- ⑦ **Page index** This indicates the current page index.

**NOTE**

When the ZFX Plug-in is booted, the thumbnail page for the guitar amplifiers is shown as default.

Catalog - Basic operation

Below is the basic operation for both thumbnail and detail pages.

■ Turning pages


Pages can be turned with the [NEXT][PREVIOUS] buttons.

1. Click the [CATALOG] button above the Tool Area.



The corresponding LED lights on, and the Catalog comes available.

2. The [NEXT] button and the [PREVIOUS] button appear when the mouse is hovering over the Catalog. To turn to the next page, click the [NEXT] button.



The page turns over.

**NOTE**

The [PREVIOUS] button will not appear at the first page.

3. To turn to the previous page, click the [PREVIOUS] button.



The page turns back. With these buttons, the pages turn one by each.

**HINT**

Besides using the [NEXT][PREVIOUS] button, you can also drag the blank part of the page to turn over.

■ Turning a number of pages



By rolling the mouse wheel, you can turn a number of pages at once.

1. Click the [CATALOG] button above the Tool Area.





The corresponding LED lights on, and the Catalog comes available.

2. Hover the mouse over the Catalog, and roll the wheel upward.



The pages turn over at once.

3. Hover the mouse over Catalog and roll the wheel backward.



The pages turn backwards this time.

■ Jumping pages by index

o jump between the categories, follow the instruction below. The distortion category is for example.

1. Click the [CATALOG] button above the Tool Area.




The corresponding LED lights on, and the Catalog comes available.

2. Click the “DIST” index at the right side of Catalog.



The thumbnail page of the distortion effectors gets shown.



3. Do as same for other categories. Below are the details.

- | | |
|-----------------|----------------------------------------------------------|
| ① GUITAR index | Guitar amplifiers |
| ② BASS index | Bass amplifiers |
| ③ CABINET index | Guitar/Bass cabinets |
| ④ MIC index | Microphones |
| ⑤ CMP/WAH index | Dynamics/WAH effectors |
| ⑥ DIST index | Distortion effectors |
| ⑦ MOD index | Modulation effectors |
| ⑧ DLY/REV index | Delay/Reverb effectors |
| ⑨ TOOLS index | Other instruments, typically the splitter and the mixer. |



NOTE

One category might include more than one thumbnail pages. With the indexes, their first pages become current. Click the [NEXT] button for the pages afterwards. (→P026)

Jumping to detail page

With the thumbnail page, you can jump directly to the detail pages, or insert the instruments into the Amplifier Area and the Effect Area. The details are as below. The “DIST” category is for example.

1. Click the [CATALOG] button above the Tool Area.



The corresponding LED lights on, and the Catalog comes available.

2. Click the “DIST” index at right side of the Catalog.



The thumbnail page of the distortion effectors becomes current.



3. Double-click over the image of "FUZZ SMILE".



The detail page of the "FUZZ SMILE" becomes current.



You can directly drag-and-drop the image into the Amplifier Area or the Effect Area, as in the detail pages explained below.

Selecting Instruments from detail page

To insert the instrument, you have to set them into the Amplifier Area or the Effect Area. Follow the example below.

1. Click the [CATALOG] button above the Tool Area.



The corresponding LED lights on, and the Catalog comes available.

- Click the [NEXT][PREVIOUS] buttons to seek pages. The buttons appear when the mouse is hovering over the Catalog. (→P026)




The detail pages are after thumbnail pages. Here for example, the “FUZZ SMILE” in the “DIST” category.

- Drag-and-drop the “FUZZ SMILE” image into the Effect Area.



The “FUZZ SMILE” gets inserted. The shielded cables will be automatically connected.



Amplifying Area

The amplifier, cabinet, and microphone can be operated through the Amplifying Area. The amplifier belongs to the Amplifier Section, and the cabinet and microphone belong to the Booth Section. You can set and adjust them as below.

Controls and Functions



- ① **Amplifier Section** This section contains the amplifier.
- ② **Booth Section** This section contains cabinet and microphone.
- ③ **VU meter** This indicates the final signal level after all effects and master level.

Amplifier Section - Basic operation

When the amplifier is set from the Catalog, it can be adjusted and deleted through the Amplifier Section.

■ Setting Amplifiers

To set the amplifier, follow the instruction below. “1965 Bright Amp” is for example.

1. Click the [CATALOG] button above the Tool Area.



The corresponding LED lights on, and the Catalog comes available.



NOTE

For the details of Catalog, refer “Catalog - Basic operation”. (→P025)
 For the details of Catalog thumbnails, refer “Jumping to detail page”. (→P029)

2. Click the “GUITAR” index at right side of the Catalog.



The thumbnail page for guitar amplifiers becomes current.

3. Drag-and-drop the “1965 Bright Amp” image into the Amplifier Section.



The amplifier gets set.



HINT You can also set the amplifiers from the detail pages of the Catalog. You may drag-and-drop the image into the Amplifier Section. (→P030)

■ Adjusting Amplifiers


To adjust the effect tone of the amplifier, control the knobs and switches.



① **Switch** This lets you switch the channels or other belonging parameters.



② **Knob** With dragging it vertically, you can adjust the belonging parameters.



Some instruments may contain other types of controls, but all controls can be operated through clicking and dragging.




NOTE The power switch of the amplifier cannot be edited.

■ Deleting Amplifiers

To delete the amplifier, double-click the right button over it.



The amplifier gets deleted.



You can also delete the amplifier, cabinet, and microphone at once by deleting the belonging amplifier module. (→P055)

Booth Section - Basic operation

When the cabinet and microphone are set from the Catalog, it can be adjusted and deleted through the Booth Section.

■ Setting Cabinets and Microphones

To set the cabinet into the Booth Section, follow the instruction below. “Bright Combo 2x12” is for example.

1. Click the [CATALOG] button above the Tool Area.



The corresponding LED lights on, and the Catalog comes available.



NOTE

For the details of Catalog, refer “Catalog - Basic operation”.(→P025)
For the details of Catalog thumbnails, refer “Jumping to detail page”. (→P029).

- Click the “CABINET” index, at right side of the Catalog.



The thumbnail page of the guitar/bass cabinets becomes current.


- Drag-and-drop the image of “Bright Combo 2x12” into the Booth Section.




The cabinet and a recommended microphone get set to the Booth Section.

■ Deleting Cabinets and Microphones

To delete cabinet and microphone, double-click the right button over it.



The cabinet and the microphone get deleted.



■ Replacing Microphones

To replace the microphone in Booth Section, follow the instruction below. “Dynamic 421” is for example.

1. Click the [CATALOG] button above the Tool Area.



The corresponding LED lights on, and the Catalog comes available.



NOTE

For the details of Catalog, refer “Catalog - Basic operation”.(→P025)
For the details of Catalog thumbnails, refer “Jumping to detail page”.(→P029)

2. Click the “MIC” index at right side of the Catalog.



The thumbnail page of the microphones becomes current.

3. Drag-and-drop the image of “Dynamic421” into the Booth Section.



The microphone gets set into the Booth Section.

■ Adjusting the microphone distance

Hover the mouse over the Booth Section, and roll its wheel.
The distance between microphone and cabinet can be adjusted.




The [+][-] button appears then the mouse is hovering over the Booth Section. The distance can also be adjusted through these buttons.



■ Adjusting the microphone position


By dragging the microphones horizontally, you can adjust its position against the speaker.



Effect Area

At the Effect Area, you can set, adjust, and position the instruments, and wire the shielded cables freely.

Controls and Functions



- ① **Shielded cable** This connects the signal between the instruments.
- ② **Amplifier Module** This sends the input signal to the Amplifying Area, and processes the signal in following order: amplifier, cabinet, microphone. (→P054)
- ③ **[+][-] buttons** These let you magnify the view of the Effect Area.
- ④ **[LEFT][RIGHT] scroll buttons** These let you zoom up the instruments one by each.
- ⑤ **[INPUT] bar** This can be used to connect the instruments to the input signal of ZFX Plug-in. (→P048)
- ⑥ **Trash can** This lets you delete the instruments and shielded cables.
- ⑦ **[OUTPUT] bar** This can be used to connect the instruments to the output signal of ZFX Plug-in. (→P048)

Signal flow of Effect Area

The signal will be processed from left to right as below.



NOTE

The shielded cables are available for both the stereo and monaural signals.

Selecting/Adjusting instruments

The instruments which had been set from the Catalog can be adjusted and deleted.

■ Setting instruments

To set the instrument into the Effect Section, follow the instruction below. “FUZZ SMILE” is for example.

1. Click the [CATALOG] button above the Tool Area.



The corresponding LED lights on, and the Catalog comes available.



NOTE

For the details of Catalog, refer “Catalog - Basic operation”. (→P025)
For the details of Catalog thumbnails, refer “Jumping to detail page”. (→P029)

2. Click the “DIST” index at right side of the Catalog.



The thumbnail page of distortion effectors becomes current.

3. Drag-and-drop the image of “FUZZ SMILE” into the Effect Area.



“FUZZ SMILE” gets inserted into the Effect Area, at the position where you have dropped.



In order to set the instruments, you can also drag-and-drop the image at the detail page of the Catalog.



The shielded cables will be connected automatically.

■ Positioning instruments

The instrument can be positioned freely with the drag-and-drop operation.

1. Start dragging the target instrument. Make sure that there are no knobs or switches at the start position.



The translucent image of the instrument appears as the operation starts.

2. Drop the instrument to the destination.




The instrument moves to the destination.



The shielded cables gets rewired automatically after this operation.

■ Adjusting instruments

To adjust the instrument, control its knobs and switches.



- ① **Knob** With dragging it vertically, you can adjust the belonging parameters.
- ② **[OUTPUT] jack** The output signal will be sent out from here.
- ③ **[INPUT] jack** The output signal will be sent into here.
- ④ **Foot switch** This lets you to enable/disable the instrument.
- ⑤ **Tool tip** The tool tip appears while the parameters are edited. This indicates its current value.



To adjust the knobs precisely, press the shift key while dragging. Then the knobs will turn slowly.



NOTE

Some instruments may contain other types of controls, but all controls can be operated through clicking and dragging.

■ Deleting instruments

To delete the instruments, follow the instruction below.

1. Start dragging the target instrument. Make sure that there are no knobs or switches at the start position.



The instrument starts dragging.

- Drop the instrument into the trash can icon at the right-bottom corner.



The instrument gets deleted.



You can also double-click the right button over the instrument to delete it.



NOTE

When the instrument is deleted, its previous and next instruments will be wired automatically.

Magnifying and Scrolling

At the Effect Area, you can magnify and scroll the view.


■ Magnifying the Effect Area

To magnify the Effect Area, follow the instruction below.

- Hover the mouse pointer over the Effect Area.



2. Roll the mouse wheel upward.



The view gets magnified. To reduce its ratio, roll the wheel downward.



The [+] [-] button appear when the mouse is hovering over the Effect Area. You can also click them to adjust the magnification ratio.



NOTE

When the view is widely magnified, the instruments cannot be dragged. Reduce the magnification ratio for the dragging operations.

■ Zooming up the instrument

Double-click the target instrument. Make sure that there are no knobs or switches below the mouse pointer.



The instrument zooms up.



Zoom to next instrument

The [LEFT][RIGHT] scroll buttons appear at the left-bottom corner while the mouse is hovering over the Effect Area. You can zoom up the instruments one after another by clicking these buttons. By clicking [LEFT] button, the instrument at the left side zooms up.



Click the [RIGHT] button to zoom up the instrument at the right side.



NOTE

When no certain instrument is zoomed, the one next to the one which had been previously edited zooms up.

Scrolling the Effect Area

When the Effect Area is magnified, the mouse pointer changes to the “Palm Cursor” while hovering.



With the palm cursor, you can drag the floor to scroll it.



Wiring shields

You can connect the instruments each other freely with the shielded cables.

■ Connecting a shield

To connect the shielded cable, follow the instruction below.

1. Set an instrument into the Effect Area, and hover the mouse pointer over its [OUTPUT] jack.



The pointer changes to “Jack cursor”. With this, you can start dragging the shield.



NOTE To set the instrument, refer “Setting instruments”. (→P040)

2. Start dragging from the [OUTPUT] jack.



Now you can connect the shield to the [INPUT] jack of other instruments.



HINT Connecting from output to output, or input to input, are not allowed. In these cases, the “unavailable” cursor appears as below.





NOTE To cancel while dragging, drop it on the floor, or wherever beside jacks.

- Drop it to the [INPUT] jack of other instrument.



The shield will be connected. You can also start dragging from [INPUT], and then drop it to the [OUTPUT].



NOTE Drag-and-drop from [OUTPUT] to the leftward [INPUT] is not allowed, since this may cause the feedback loop. From [INPUT] to the rightward [OUTPUT] is not allowed as well.

■ Changing the shield connection

To rewire the shields which are already connected, follow the instruction below.

- Start dragging the [INPUT][OUTPUT] jack, which the shield is connected.




While dragging, the target shield turns green. Here you can rewire the shield.

2. Drop it to the [INPUT][OUTPUT] jack where you wish to connect.



The shielded cable gets rewired. When other instruments exist between the connection, the cable detours around them.



You can detour the shielded cables up side down if necessary. From upside to downside, drag-and-drop the jack downward.




From downside to upside, start dragging the jack and drop it upward.



You can also switch it up side down by double-clicking the jack.

■ Connecting directly to input / output

While dragging the jacks, the [INPUT][OUTPUT] bar appears at both sides of the Effect Area. You can drag the [INPUT] jack to the [INPUT] bar, in order to connect it directly to the input of ZFX Plug-in.



By dragging the [OUTPUT] jack to the [OUTPUT] bar, the output of the instrument will be connected directly to the output of the Effect Area.



[INPUT][OUTPUT] bar also appears when the mouse is hovering over the side of Effect Area. With this, you can start dragging from the [INPUT][OUTPUT] bar as from [INPUT][OUTPUT] jacks.

■ Deleting shields

To delete the shielded cable, follow the instruction below.

1. Start dragging from [INPUT][OUTPUT] jack, which the shielded cable is connected.



The shielded cable starts getting dragged, and turns green.

2. Make sure the green shield is the one you want to delete. Then, drop it into the trash can at the right-bottom corner.



The shield gets deleted.



To delete the shielded cables, you can also double-click right button over the jacks which they are connected.



NOTE

The vertical shielded cables of the amplifier modules cannot be deleted.

Splitters and Mixers

At the Effect Area, you can split the signal into two by using “Splitter”, and two into one by “Mixer”. For these advanced operations, follow the instructions below.

■ Operating Splitters

Click the “TOOLS” index at right side of the Catalog.

1. The thumbnail page for “TOOLS” becomes current.



The thumbnail page for “TOOLS” will be shown.

 **NOTE** Refer “Catalog - Basic operation” for the details of Catalog. (→P025)

2. Drag-and-drop the image of “Splitter” into the Effect Area.



The splitter gets inserted. As shown above, the splitter has two [OUTPUT] jacks. Both jacks output the signal, which had run into the splitter.



Both [OUTPUT] jacks can be wired the same way.




 **NOTE** Refer “Jumping to detail page” for the details of thumbnail pages. (→P029)

■ Operating Mixers

Below is the instruction to operate the mixers.

1. Click the “TOOLS” index at right side of the Catalog.



The thumbnail page for “TOOLS” becomes current.

2. Drag-and-drop the image of “Mixer” into the Effect Area.



The mixer gets inserted. As shown above, the mixer has two [INPUT] jacks, as [INPUT A] and [INPUT B]. These let you mix the two signals into one.



Both [INPUT] jacks can be wired the same way.

3. Connect the shielded cables to [INPUT A] and [INPUT B] jack.



4. Drag the [LEVEL A] knob vertically.



The channel A volume gets adjusted. Channel B volume can be adjusted with [LEVEL B] knob.

5. Drag the [PAN A] knob vertically.



The panning of the channel A gets adjusted. Turn clockwise to R side, and counterclockwise to L side. For the channel B panning, drag the [PAN B] knob.

Amplifier Module

The “Amplifier Module” sends the signal to the Amplifying Area. The “Amplifier Module” can be inserted multiply. When multiply inserted, each one of them corresponds to individual Amplifying Areas.



■ Operating Multiple Amplifier Modules

The Amplifying Area which is currently viewed, corresponds to the amplifier module indicated with red allow. To switch the view, click the other amplifier module.



■ Deleting Amplifier Modules

The amplifier modules can be deleted as other instruments. The last amplifier module cannot be deleted since there must be at least one, though, by dropping it into the trash can, you can delete the containing amplifier, cabinet, and microphone.



Patch Management


The patch setting including effect types and parameters, can be loaded/saved as patches. Patches are organized as bank, owning 128 patches. Bank corresponds to one file in your computer, and can be created as many as you want as far as your hard disk drive has enough space.

Starting up the Patch Manager

To start up the Patch Manager, follow the instruction below.
Click the [PATCH] button above the Tool Area.



The corresponding LED lights on, and the Patch Manager comes available.



① [BANK SELECT] list

The banks will be listed here.

② Bank names

The name and the index of banks are shown here.

③ [BANK NEW] button

This lets you create a new bank.

④ [BANK DELETE] button

This lets you delete the current bank which is currently selected.

⑤ [BANK IMPORT] button

The external bank files can be imported with

⑥ [BANK EXPORT] button	this button. The banks can be exported to an external file with this button.
⑦ [PATCH SELECT] list	The patches will be listed here. patches.
⑧ Patch names	The name and the index of the patches are shown here.
⑨ [PATCH IMPORT] button	The external patch files can be imported with this button.
⑩ [PATCH EXPORT] button	The patches can be exported to an external file with this button.
⑪ [PATCH NEW] button	This clears the current patch setting.
⑫ [PATCH DELETE] button	This lets you delete the patch which is currently selected.
⑬ [STORE] button	This lets you store the current setting to the current patch.
⑭ [STORE AS] button	This lets you store the current setting to the other patches.
⑮ [FOLDER] button	With this, you can switch the folder where bank list exists.

Operating patches

With the Patch Manager, you can select, store, create, and delete the patches.


■ Selecting patches

To load these existing patches including presets, follow the instruction below.

1. Click the [PATCH] button above the Tool Area.




The corresponding LED lights on, and the Patch Manager comes available.

**NOTE**

When the ZFX Plug-in is booted, the patch you had recently selected will be selected automatically.

2. Click a bank name in the [BANK SELECT] list.



The [PATCH SELECT] list refreshes according to the bank you have selected. The current selection will be displayed inverted.

- Click a patch name in the [PATCH SELECT] list.



The patch setting gets loaded.



NOTE

When the patch is loaded, your current patch setting gets lost, so that if necessary, store the setting before loading a new one. (→P059)


■ Storing patches

The effect setting can be stored as patches, which are owned by banks.


- Click the [PATCH] button above the Tool Area.



The corresponding LED lights on, and the Patch Manager comes available. The inverted bank and patch are the currents.



- Click the [STORE] button at bottom of the Patch Manager.



The setting is now stored to the current patch.



NOTE

Make sure that you have stored the patch before loading a new one, since it would be lost.

■ Storing to certain destination

To store the setting to the other patch, follow the instruction below.

- Click the [PATCH] button above the Tool Area.




The corresponding LED lights on, and the Patch Manager comes available. The inverted bank and patch are the currents.

2. Click the [STORE AS] button at the bottom of the Patch Manager.




Select the destination, as a new dialog appears as below.



- ① [TARGET BANK SELECT] list Select a target bank from here. The current will be shown inverted.
- ② [TARGET PATCH SELECT] list Select a target patch from here. The current will be shown inverted.
- ③ [STORE] button This validates the storing operation according to the selection above.

3. Click a target bank from the [TARGET BANK SELECT] list.



The new selection inverts, and the corresponding patches will be listed below in [TARGET PATCH SELECT] list.



4. Click a target patch from the [TARGET PATCH SELECT] list.



The new selection inverts.



5. Click the [STORE] button at the bottom.



The setting is now stored to the patch which you have targeted.

■ Ordering patches


To change the patch order, follow the instruction below.

1. Click the [PATCH] button above the Tool Area.




The corresponding LED lights on, and the Patch Manager comes available.

2. Start dragging the patch you wish to move, in the [PATCH SELECT] list.



The patch starts getting dragged.

3. Drop it over the destination.



The patch will be inserted to the destination.



■ Renaming patches

To rename the patches, follow the instruction below.

1. Click the [PATCH] button above the Tool Area.



The corresponding LED lights on, and the Patch Manager comes available.

2. Double-click the patch you wish to rename in the [PATCH SELECT] list.



The patch name becomes editable.



NOTE

The characters you can use for the patch names are as below.

Numbers: 0 - 9

Alphabets: A - Z, a - z

Symbols: (space)!\$%&'()+,-.:=@[]^_{}~

- Input the patch name, and press ENTER.



The patch name gets renamed.



Besides pressing enter, you can select another patch to validate the name.

■ Deleting patches


To delete the patches, follow the instruction below.

- Click the [PATCH] button above the Tool Area.



The corresponding LED lights on, and the Patch Manager will be shown.

- Select the patch you wish to delete from the [PATCH SELECT] list.



The new selection inverts as above.

- Click the [PATCH DELETE] button at bottom of the Patch Manager.



The patch gets deleted. Notice that the name have turned to “NO NAME”.



NOTE

After deleting patches, the current setting still remains on display. You may store them if the patch have been deleted accidentally. (→P059)

■ Clearing the current setting

To clear the current setting, follow the instruction below.

- Click the [PATCH] button above the Tool Area.




The corresponding LED lights on, and the Patch Manager comes available.

- Click the [PATCH NEW] button at the bottom of the Patch Manager.



The current setting gets cleared.



NOTE The patch data still remains after this operation.


■ Exporting current setting

To export the current setting to an external file on your computer, follow the instruction below.


1. Click the [PATCH] button above the Tool Area.




2. Click the [PATCH EXPORT] button at the bottom of the Patch Manager.



Using Windows, the "Save As" dialog opens. Using Macintosh, the "Save" dialog opens. Select the destination and execute "Save As".





NOTE The file extension of the patch files are "*.zfp".

■ Importing current setting


To import an external file into a current setting, follow the instruction below.

1. Click the [PATCH] button above the Tool Area.





The corresponding LED lights on, and the Patch Manager comes available.


2. Click the [PATCH IMPORT] button at the bottom of the Patch Manager.




Using Windows, the "Open File" dialog opens. Using Macintosh, the "Open" dialog opens.



3. Select and open the file (*.zfp) to import.





The effect setting gets loaded.



Operating banks

With the Patch Manager, you can create, delete, export, and import the banks. To get work with the banks, follow the instruction below.

■ Creating a bank


You can create banks with no limit as far as your hard disk drive has enough space. To create a new bank, follow the instruction below.

1. Click the [PATCH] button above the Tool Area.



The corresponding LED lights on, and the Patch Manager comes available.

- Click the [BANK NEW] button at the middle of the Patch Manager.



The new bank gets created in the [BANK SELECT] list.



NOTE

The new banks are named consecutively from "0". You may rename it for your purpose. (→P073)

Ordering banks


To change the order in the [BANK SELECT] list, follow the instruction below.

- Click the [PATCH] button above the Tool Area.




The corresponding LED lights on, and the Patch Manager comes available.

2. Start dragging the bank you wish to move in the [BANK SELECT] list.



The bank starts getting dragged.

3. Drop the bank at the destination.



The bank will be inserted to the destination.

■ Renaming banks

To rename the bank, follow the instruction below.

1. Click the [PATCH] button above the Tool Area.



The corresponding LED lights on, and the Patch Manager comes available.

2. Double-click over the bank you wish to rename in the [BANK SELECT] list.




The bank name becomes editable.



NOTE The characters you can use for the bank names are as below.
 Numbers: 0 - 9
 Alphabets: A - Z, a - z
 Symbols: (space)!#\$%&'()+,.-;=@[]^_`~

3. Input the bank name, and press ENTER to validate.



The bank gets renamed.



HINT Besides pressing enter, you can select other banks in order to validate.

■ Deleting banks


To delete the bank, follow the instruction below.

1. Click the [PATCH] button above the Tool Area.




The corresponding LED lights on, and the Patch Manager comes available.

- Click the target bank in the [BANK SELECT] list.



The [PATCH SELECT] list refreshes according to the bank you have selected.

- Click the [BANK DELETE] button at the middle of the Patch Manager.



The bank and corresponding patches gets deleted.



NOTE

You cannot delete the last bank. To delete it, create a new one. (→ P071)
Be aware that you cannot restore the bank after deleting it.

■ Exporting banks

To export the bank to the external file, follow the instruction below.

1. Click the [PATCH] button above the Tool Area.




The corresponding LED lights on, and the Patch Manager comes available.

2. Click the target bank in the [BANK SELECT] list.





The bank inverts and gets selected.

3. Click the [BANK EXPORT] button at the middle of the Patch Manager.



Using Windows, the "Save As" dialog opens. Using Macintosh, the "Save" dialog opens. Select the destination, and save the file.



NOTE The file extensions are *.zfb.

■ Importing banks

To import the external bank file, follow the instruction below.

1. Press the [PATCH] button above the Tool Area.





The corresponding LED lights on, and the Patch Manager comes available.


2. Click the [BANK IMPORT] button at the middle of the Patch Manager.



Using Windows, the "Open File" dialog opens. Using Macintosh, the "Open" dialog opens.



3. Open the external bank file (*.zfb).




The imported bank data will be added at the end of [BANK SELECT] list.



Bypassing Area

At the Bypassing Area, you can bypass (disabling the effects) and mute (disabling the whole input) the sounds. Also with [CURRENT/ORIGINAL] button, you can compare the sounds between the current patch setting and its original patch setting, which have been recently stored.

Controls and Functions



- | | |
|-----------------------------|-------------------------------------------------------------------|
| ① [BYPASS] button | This button switches and indicates the bypass condition. |
| ② [MUTE] button | This button switches and indicates the mute condition. |
| ③ [CURRENT/ORIGINAL] button | This lets you compare the current and the original patch setting. |

Bypassing the sound


With the [BYPASS] button, you can bypass the effect setting. While bypassing, the [BYPASS] indication lights as below.



To end bypassing, click the [BYPASS] button once again.

Muting the sound

With the [MUTE] button, you can mute the output sound. While muting, the [MUTE] indication lights as below.



To end muting, click the [MUTE] button once again.

Comparing current and original state

With [CURRENT/ORIGINAL] button, you can compare the sounds between the current patch setting and its original patch setting, which have been recently stored. The condition switches as the button is pressed.



As above, the original state is shown in sepia tone, and the setting which have been recently stored will be displayed. The [CURRENT/ORIGINAL] button indicates the condition.



NOTE While the original setting is displayed, you cannot edit the effect setting, such as setting or deleting effect types, adjusting parameters, or rewiring the shields.



HINT Be aware that the original setting will be overwritten with the current setting, when the patch is stored through [STORE] or [STORE AS]. (→ P059)
The [PATCH NEW] button clears only the current setting. (→P067)

Tuner

In addition to the standard chromatic tuner, ZFX Plug-in supports the other tuning methods. You can also drop half or whole tone, or adjust the tuning calibration (the reference frequency). The details are as below.


Starting up the tuner

To start up the tuner, follow the instruction below.

Click the [TUNER] button above the Tool Area.



The corresponding LED lights on, and the Tuner comes available.



① Pitch LED

This indicates the precise pitch in resolution of five cents. When the pitch is high, the indication moves right, and when it is low, it moves left. At the just tune, the center LED lights on.

② High/Low LED

When the pitch is high, the LED at the right side lights on, and when it is low, the LED at the left side lights on. The both get lit at the just tune.

③ The pitch name or the string number	With the chromatic tuner, this indicates the nearest pitch name. With other tuning methods, this indicates the string number, which have been played.
④ Tuner mode	This indicates the current tuner mode.
⑤ [TUNER MODE] button	This lets you switch the tuner modes.
⑥ [DOUBLE FLAT] button	This lets you tune your guitar with a whole tone dropped.
⑦ [FLAT] button	This lets you tune your guitar with a half tone dropped.
⑧ Calibration value	This indicates the calibration value, the frequency to refer.
⑨ [CALIBRATION] button	This increases and decreases the calibration value.

Using the chromatic tuner

To start tuning with chromatic tuner, follow the instruction below.

1. Click the [TUNER] button above the Tool Area.



The corresponding LED lights on, and the Tuner comes available.

2. Set the mode to “Chromatic” with [TUNER MODE] button.



The chromatic tuner starts working.

3. Play the string you are going to tune.



The nearest pitch name indicates as below.

Pitch name	Indication	Pitch name	Indication
A		D#	
A#		E	
B		F	
C		F#	
C#		G	
D		G#	

4. Tune the string referring the pitch LED and the high/low LED. At the just tune, the center of the pitch LED lights on, as well the both high/low LED.



You may tune roughly at first, until the right pitch name gets indicated, and then tune precisely referring the pitch LED and the high/low LED.

Adjusting the calibration


With the [CALIBRATION] button at the sides of the calibration value, you can adjust the reference frequency (center A), within the range between 435 and 445.

**NOTE**

When the ZFX Plug-in is booted, as default, the calibration pitch is set to “440Hz” (center A is at 440Hz).

Dropping a half tone

You can tune by dropping a half tone, despite whatever the tuner mode. To drop a half tone, click the [FLAT] button. The [FLAT] button lights on, and the half tone drop mode starts working.



To cancel, press the [FLAT] button again.

Dropping a whole tone

You can tune by dropping a whole tone, despite whatever the tuner mode. To drop a whole tone, click the [DOUBLE FLAT] button. The [DOUBLE FLAT] button lights on, and the whole tone drop mode starts working.



To cancel, press the [DOUBLE FLAT] button again.



NOTE

You cannot enable both the [FLAT] and the [DOUBLE FLAT] at the same time.

Using other tuner types

ZFX Plug-in supports other tuning methods beside the chromatic tuner, such as the standard tuning for the guitar/bass, and open tunings. To switch these tuner modes, follow the instruction below.

1. Click the [TUNER] button above the Tool Area.



The corresponding LED lights on, and the Tuner comes available.

2. Click the [TUNER MODE] button to select the tuner mode.



The available tuner modes and their tunings are as below.

Tuner mode		Guitar	Bass	Drop D	OPEN A	OPEN G	OPEN E	OPEN D	DADGAD
String number	STR 1	E	G	E	E	D	E	D	D
	STR 2	B	D	B	C#	B	B	A	A
	STR 3	G	A	G	A	G	G#	F#	G
	STR 4	D	E	D	E	D	E	D	D
	STR 5	A	B	A	A	G	B	A	A
	STR 6	E		D	E	D	E	D	D
	STR 7	B							

- 3.** Get tuning as in 3 and 4 of “Using the chromatic tuner”. The string number will be indicated beside the pitch name, but the operations are same.



You may tune roughly at first, until the right pitch name gets indicated, and then tune precisely referring the pitch LED and the high/low LED.



NOTE

When the ZFX Plug-in is booted, the tuner mode is set to chromatic tuner as default.

Expression pedal and foot switches

You can control the ZFX Plug-in on real-time, with the built-in expression pedal and foot switches of C5.1t, or with the optional foot pedal and foot switch of S2t. The effect parameters can be assigned to them, and the foot switches can also change the banks and patches, bypass, and mute. The details are as below.

Starting up the Pedal/Switch Manager

Click the [CONTROL] button above the Tool Area.



The corresponding LED lights on, and the Pedal/Switch Manager comes available.



Notice the machine image at the bottom. This indicates whether S2t or C5.1 is connected, and can be switched also. (→P109)

■ The Pedal/Switch Manager with the C5.1t connection

① [EFX PRM ASSIGN] list

② [TARGET] box

③ [CONTROL] box

④ [MIN/MAX] box

⑤ [TRASH CAN] icon

⑥ [ASSIGN] icon

⑦ [ENABLE] check box

⑧ [GLOBAL SETTING] list

⑨ [ASSIGN] box

⑩ [TARGET SWITCH] button

⑪ [CONNECT] button

⑫ [MIDI] button

⑬ [SET PEDAL CALIBRATION] button

TARGET	PRM MIN/MAX	ASSIGN
1965 Bright Amp	VOLUME	[TRASH CAN]
1965 Bright Amp	TREBLE	[TRASH CAN]
Delay	Time	[TRASH CAN]
NO ASSIGN	NO ASSIGN	[ASSIGN]
NO ASSIGN	NO ASSIGN	[ASSIGN]

SWITCH	GLOBAL SETTING	ASSIGN
SWITCH 1	NEXT PATCH	[TRASH CAN]
SWITCH 2	MUTE	[TRASH CAN]
SWITCH 3	NO ASSIGN	[TRASH CAN]

USB Audio Interface C5.1t

CONNECTION SETTING


[CONNECT] [MIDI]

SET PEDAL CALIBRATION

- ① [EFX PRM ASSIGN] list The parameter assignments will be listed here.
- ② [TARGET] box This indicates the assigned effect type.
- ③ [CONTROL] box This lets you check easily how the pedal/

- ④ [MIN/MAX] box
This indicates the assigned effect parameter name, and lets you set the available parameter range for each assignment.
- ⑤ [TRASH CAN] icon
This lets you delete the assignments.
- ⑥ [ASSIGN] icon
You can assign the effect parameters to pedals/switches through this icon.
- ⑦ [ENABLE] check box
This enables the settings in the [GLOBAL SETTING] list.
- ⑧ [GLOBAL SETTING] list
The global assignments for the foot switches will be listed here.
- ⑨ [ASSIGN] box
This lets you assign the global settings.
- ⑩ [TARGET SWITCH] button
This switches the machine image at the [CONTROL] box, between S2t and C5.1t.
- ⑪ [CONNECT] button
This indicates and switches the active ZFX Plug-in, which receives the pedal/switch events, when multiply booted.(→P109)
- ⑫ [MIDI] button
This lets you receive the pedal/switch events through the MIDI message.
- ⑬ [SET PEDAL CALIBRATION] button
This lets you adjust the built-in pedal of C5.1t.

■ The Pedal/Switch Manager with the S2t connection



- ① [EFX PRM ASSIGN] list
The parameter assignments will be listed here.
- ② [GLOBAL SETTING] list
The global assignments for the external foot switch will be listed here.
- ③ [CONTROL] box
This lets you check easily how the pedal/switch works.

Assigning parameters

To control the effect parameters through the foot switches and expression pedal, you have to assign the parameter at the [EFX PRM ASSIGN] list. To assign the parameters, follow the instruction below.

■ Assigning parameters to expression pedal

Assign the parameter to the C5.1t built-in expression pedal or the S2t external pedal as below. The “PEDAL BOX” is for example.

1. Click the [CONTROL] button above the Tool Area.



The corresponding LED lights on, and the Pedal/Switch Manager comes available.



Notice that the machine image in the [CONTROL] box is the one you have connected. If it differs, press the [TARGET SWITCH] button at the right top of [CONTROL] box, and select the proper machine. (→P109)

2. Scroll the [EFX PRM ASSIGN] list to the topmost. With C5.1t, [PEDAL] row will be displayed, and with S2t, [EXT PEDAL] row will be displayed.



3. Start dragging the [ASSIGN] icon in the [EFX PRM ASSIGN] list, and drop it to the pedal of "PEDAL BOX".



The "Pedal Pos" parameter of the "PEDAL BOX" will be assigned to the expression pedal.



NOTE

You can assign five parameters maximum for each pedal/switch, and the parameters can be controlled simultaneously.

■ Assigning parameters to foot switches


Assign the parameter to the C5.1t built-in foot switch or the S2t external foot switch as below. The “FUZZ SMILE” is for example.

1. Click the [CONTROL] button above the Tool Area.



The corresponding LED lights on, and the Pedal/Switch Manager comes available.


2. Scroll the [EFX PRM ASSIGN] list to the row corresponding to the target switch. Select [SWITCH 1] for C5.1t, and [EXT SWITCH] for S2t.



3. Start dragging the [ASSIGN] icon, and drop it to the ON/OFF switch of “FUZZ SMILE”.



The ON/OFF parameter of the “FUZZ SMILE” will be assigned to the switch.



NOTE You can assign five parameters maximum for each pedal/switch, and the parameters can be controlled simultaneously.

■ Adjusting the parameter range

You can set the minimum and maximum value for each parameter assignment, in order to adjust its effective range.

1. Click the [CONTROL] button above the Tool Area.



The corresponding LED lights on, and the Pedal/Switch Manager comes available.

2. Hover the mouse pointer over the [MIN/MAX] box.



See the minimum and maximum value appears. The left value is the minimum, and the right value is the maximum.



NOTE The parameter value becomes minimum when the pedal is fully raised, and becomes maximum when fully depressed. With the foot switch, the value switches between minimum and maximum.

3. The minimum value can be adjusted through the downward triangle. Drag it horizontally to adjust.



The minimum value gets adjusted.

4. The maximum value can be adjusted through the upward triangle. Drag it horizontally to adjust.



The maximum value gets adjusted.



NOTE

The available range depends to the effect parameter which have been assigned. “Minimum” value can be set higher than “Maximum” value. In this case, the parameter value becomes minimum when the pedal is fully depressed, and becomes maximum when fully raised.

■ Deleting the assignment

To delete the assignment of pedal/switch, follow the instruction below.

1. Click the [CONTROL] button above the Tool Area.




The corresponding LED lights on, and the Pedal/Switch Manager comes available.

2. Click the [TRASH CAN] icon in the [EFX PRM ASSIGN] list to delete the assignment.



The assignment gets deleted.



Assigning Global Settings

The patch/bank selection, bypass, mute functions can be assigned to the C5.1t built-in switches, and the S2t external switch through the [GLOBAL SETTING] list. To assign these functions, follow the instruction below.

■ Assigning next/previous patch selection

Below is the assignment of the next/previous patch function. With this, you can move to the next patch or the previous patch. The C5.1t foot switch 1 is for example.

1. Click the [CONTROL] button above the Tool Area.



The corresponding LED lights on, and the Pedal/Switch Manager comes available.


2. Click the [ASSIGN] button at the row of the control, which you are going to assign. The “SWITCH 1” is for example.



The function list appears as below.



3. Click the item “NEXT PATCH” in the function list.



The “NEXT PATCH” function have been assigned to the C5.1t foot switch 1.




4. You can assign the previous patch function as well, by selecting the “PREV PATCH” item.





For the S2t external foot switch, assign the function to the “EXT SWITCH” row.



To enable the setting, the [ENABLE] check box has to be checked. (→ P105)

■ Assigning next/previous bank selection

Below is the assignment of the next/previous bank function. With this, you can move to the next bank or to the previous bank. The C5.1t foot switch 2 is for example.

1. Click the [CONTROL] button above the Tool Area.



The corresponding LED lights on, and the Pedal/Switch Manager comes available.

2. Click the [ASSIGN] button at the row of the control, which you are going to assign. The “SWITCH 2” is for example.



The function list appears as below.




3. Click the item “NEXT BANK” in the function list.



The next bank function have been assigned to the C5.1t foot switch 2.



4. You can assign the previous bank function as well, by selecting the “PREV BANK” item.



For the S2t external foot switch, assign the function to the “EXT SWITCH” row. To enable the setting, the [ENABLE] check box has to be checked. (→ P105)



NOTE

After changing the bank, the patch change will occur according to the current patch index.

■ Assigning the patch selection

Below is the assignment of the patch bank function. With this, you can jump to the certain patch index you have assigned. The C5.1t foot switch 3, and the patch “015” is for example.

1. Click the [CONTROL] button above the Tool Area.




The corresponding LED lights on, and the Pedal/Switch Manager comes available.


2. Click the [ASSIGN] button at the row of the control, which you are going to assign. The “SWITCH 3” is for example.




The function list appears as below.



3. Click the item "PATCH" in the function list.



The patch selection dialog appears as below.




① Destination patch list

The destination patch should be selected here.

② [OK] button


This lets you validate the destination.

- Click the patch number "015".



The patch number "015" inverts.

- Click the [OK] button.



The patch "015" have been assigned to the C5.1t foot switch 3.





For the S2t external foot switch, assign the function to the “EXT SWITCH” row. To enable the setting, the [ENABLE] check box has to be checked. (→ P105)



With this function, you cannot target a patch in a certain bank. The patch will be changed to the selected index in the current bank.

■ Assigning the bypass/mute function

You can bypass/mute the ZFX Plug-in through the foot switch. To assign these functions, follow the instruction below. C5.1t foot switch 4 for example.

1. Click the [CONTROL] button above the Tool Area.




The corresponding LED lights on, and the Pedal/Switch Manager comes available.


2. Click the [ASSIGN] button at the row of the control, which you are going to assign. The “SWITCH 4” is for example.



The function list appears as below.



- Click the item “BYPASS” in the function list.



The bypass function have been to the C5.1t foot switch 4.



- For the mute function, select the “MUTE” item from the function list.



For the S2t external foot switch, assign the function to the “EXT SWITCH” row.
To enable the setting, the [ENABLE] check box has to be checked. (→ P105)

■ Enabling the Global Setting

To enable the assignments of the [GLOBAL SETTING] list, the [ENABLE] check box has to be clicked and checked as below.



With the check, the [GLOBAL SETTING] assignment will be enabled. When the [GLOBAL SETTING] assignments and the [EFX PRM ASSIGN] assignments compete each other at the same control, the [GLOBAL SETTING] will have the priority.



NOTE

To disable the [GLOBAL SETTING] list, click the [ENABLE] check box again.

■ Canceling the assignment

To delete the assignment in the [GLOBAL SETTING] list, click the [TRASH CAN] icon at the corresponding row.



The assignment will be deleted.



Operating the machine image


With the [CONTROL] box at the left bottom, you can easily check how the pedal/switch works. For the operation, follow the instruction below.

■ Checking pedal assignments

To check how the pedal works, drag the pedal image in the [CONTROL] box vertically.



The effect parameters will be adjusted according to the assignment.




HINT The built-in pedal of C5.1t has a switch within, which can be triggered when the pedal is pushed into further after fully depressed. You can also assign an effect parameter to this switch in the [EFX PRM ASSIGN] list. To check its effect, click the switch aside the pedal image.




■ Checking foot switch assignments

To check how the foot switches work, click the switch image in the [CONTROL] box.



The effect parameters will be adjusted according to the assignment.




■ Switching USB Audio Interface S2t/USB Audio Interface C5.1t

The S2t and the C5.1t machine image can be switched each other with the [TARGET SWITCH] button aside the machine name.



The image and the assignment list will be switched.



Other functions


Below is the instruction for the other functions. Here you can set the calibration of the C5.1 built-in pedal, can specify whether you are receiving MIDI events or not, and can switch the active ZFX Plug-in which receives the pedal and switch events, when they are multiply booted.

■ Targeting the instance

When the ZFX Plug-in is multiply booted, only one of them can receive the pedal and switch events. To switch the active instance, click its [CONNECT] button.



The [CONNECT] button lights on, and the belonging plug-in starts receiving the pedal/switch events.



Click the [CONNECT] button again to cancel.



NOTE

When the [CONNECT] button is on, the other ZFX Plug-in will be disconnected.

■ Receiving MIDI message

The switches and pedals of the C5.1t/S2t will send out the MIDI message. Generally, you can easily control the effects and patches when the [CONNECT] button is on (→ P110), but as an advanced use, you can automate the parameters through DAW applications with the MIDI messages. To receive the MIDI message to control the effects and patches, click the [MIDI] button.

For the details of the MIDI messages, refer the MIDI implementation chart. (→ Appendix)



The [MIDI] button lights on, and the ZFX Plug-in starts receiving the MIDI messages. For the automation and other use, keep the [MIDI] button on.



Click the [MIDI] button again to turn off.



For the details of the automation, refer the operation manual of your DAW application.

■ Adjusting pedal calibration

When the C5.1t is connected to computer, the [SET PEDAL CALIBRATION] button appears in the Pedal/Switch Manager. The built-in pedal calibration is adjusted at the shipment, but can be adjusted again if necessary. If the pedal is less sensitive or too sensitive, adjust its calibration as below.

1. Click the [CONTROL] button above the Tool Area.




The corresponding LED lights on, and the Pedal/Switch Manager comes available.

- Click the [SET PEDAL CALIBRATION] button at the right bottom of the Pedal/Switch manager.



Follow the instruction 1, 2 and 3 shown in the calibration setting dialog.



- ① [OK] button
- ② [EXIT] button

This validates the setting at each phase.
This lets you cancel the calibration setting.

- As shown in the dialog, fully raise the expression pedal, and click the [OK] button at the STEP1 row.




The minimum value gets set.

4. Fully depress the expression pedal, lift your foot, and then click the [OK] button at the STEP2 row.



The maximum value gets set.


5. Notice the “COMPLETE!” message appears in STEP3. Click the [EXIT] button to exit the dialog.



The dialog closes. The [EXIT] button can be pressed at any phase to cancel the adjustment.



If the STEP3 indicates “ERROR!”, please restart the setting from 3 (STEP1).



NOTE


The [SET PEDAL CALIBRATION] button will not appear when the S2t is connected.

Standalone mode


ZFX Plug-in can be booted standalone through the ZFX host application, with DAW applications.

Starting up the host application

Using Windows, open the "Start" menu of Windows, and select the item "ZFX Plug-in" from "Program"->"ZOOM"->"ZFX Plug-in".



Using Macintosh, double-click the application "ZFX Plug-in" from "Macintosh HD"->"Applications"->"ZOOM".



ZFX Plug-in starts up standalone.



Device Menu

To open the Device menu, click the item "Device" in the menu bar. Functions in the device menu are as below.

■ Selecting ASIO driver


The available ASIO drivers are listed in the Device menu. See the current driver is checked. To switch, click the other device name.




The ASIO driver switches. As default, ZOOM S2t C5.1t ASIO driver is checked. For other audio interfaces, select the driver which corresponds.

■ Configuring ASIO driver

You can check the current device setting by clicking the item "Device Setting" in Device menu.



To configure the ASIO driver setting, click “Control Panel” in Device Setting window.



The control panel has a slider to adjust the audio latency. Please set it to the lowest value where there are no audible clicks or pops. The suitable value differs between the environments. With higher computer performance, the lower latency can be set. If not, the higher latency is recommended for the stability. The appearance of the control panel and the features which can be customized depend on ASIO driver.

■ Connect/Disconnect

To start the connection using the current ASIO driver, click the item “Connect” in the Device menu.



File Menu

To open the File menu, click the item “File” in the menu bar. Functions in the File menu are as below.


■ Setting BPM

To set the BPM, click the item “BPM Setting” in the File menu.





The BPM setting dialog opens.



■ Quitting application

Click the item “Quit” in the File menu to quit the ZFX Plug-in host application.





Help Menu

To open the Help menu, click the item "Help" in the menu bar. The function is as below.

■ Displaying the current version

To check the current version of ZFX Plug-in, click the item "Version Info" in the Help menu.



Troubleshooting

● **No sound or very low volume.**

- Make sure that C5.1t/S2t is connected properly to your computer through USB cable.
- Make sure that the C5.1t/S2t is connected properly to your computer with USB cable.
- Try adjusting the [GAIN], [PHONE], and [OUTPUT] knob of the C5.1t/S2t.
- Make sure that the shielded cable is not defective.
- Try adjusting the [PATCH LEVEL] knob of the ZFX Plug-in. (→P022)
- Try adjusting the [MASTER LEVEL] knob of the ZFX Plug-in. (→P022)
- Make sure the ZFX Plug-in is not in mute condition. (→P081)
- For some patches, the volume can be adjusted with an expression pedal. Make sure that a suitable volume setting has been selected with the pedal.
- Try adjusting the Gain/Level parameters of the amplifiers and effectors in use.
- Make sure the input source setting of the ZFX Plug-in. (→P020)
- Make sure that the PICKUP SELECTOR is properly selected. (→P020)
- Make sure that the device configuration is proper. (→P116)

● **Noise is noticeable**

- Insert and adjust the ZNR module to your patch.
- Try lowering the Gain and Level parameters of the amplifiers and distortion effectors of the ZFX Plug-in.
- Check the settings of expression pedals (→P088). Depending on its parameter assignment, a pedal action may cause drastic parameter change and result in noise.
- The deterioration, disconnection, or dirt of the guitar and shielded cables may affect. Check these peripheral devices before use.

● **The C5.1t/S2t cannot be detected by your computer**

- Check that your operating system is adaptive.

● **The effect does not work**

- Check the LED of the inserted effect. The LED lights on when powered.
- Make sure the shielded cables are connected properly to the insert effect.
- Make sure the ZFX Plug-in is not in bypass condition. (→P080)

● **The tuner does not work**

- Make sure that the input source is selected properly according to your connection. (→P020)

Appendix: Effect Types and Parameters

Guitar Amplifier

1965 BRIGHT AMP

Simulation of the Fender TwinReverb '65.

- **BRIGHT** ON/OFF
Enriches the high frequency range when turned on.
- **VOLUME** 1.00 - 10.00
Adjusts the preamp gain (distortion depth).
- **TREBLE** 1.00 - 10.00
Adjusts boost/cut in the high frequency range.
- **MIDDLE** 1.00 - 10.00
Adjusts boost/cut in the middle frequency range.
- **BASS** 1.00 - 10.00
Adjusts boost/cut in the low frequency range.

JAZZ CLEAN

Simulation of the Roland JC-120.

- **BRIGHT** ON/OFF
Enriches the high frequency range when turned on.
- **VOLUME** 0.00 - 10.00
Adjusts the preamp gain (distortion depth).
- **TREBLE** 0.00 - 10.00
Adjusts boost/cut in the high frequency range.
- **MIDDLE** 0.00 - 10.00
Adjusts boost/cut in the middle frequency range.
- **BASS** 0.00 - 10.00
Adjusts boost/cut in the low frequency range.

MS CRUNCH

Simulation of the Marshall JCM800.

- **PRESENCE** 0.00 - 10.00
Adjusts boost/cut in the very high frequency range.
- **BASS** 0.00 - 10.00
Adjusts boost/cut in the low frequency range.

- MIDDLE 0.00 - 10.00
Adjusts boost/cut in the middle frequency range.
- TREBLE 0.00 - 10.00
Adjusts boost/cut in the high frequency range.
- MASTER VOLUME 0.00 - 10.00
Adjusts the signal level after the process.
- PRE-AMP VOLUME 0.00 - 10.00
Adjusts the preamp gain (distortion depth).

MB DUAL HEAD

Simulation of the Mesa Boogie Dual Rectifier.

- CHANNEL CLEAN: Channel suited for the clean sounds.
VINTAGE: High gain channel suited for the lead sounds.
MODERN: High gain channel with high frequency emphasis.
Selects the amplifier channel.
- PRESENCE 0.00 - 10.00
Adjusts boost/cut in the very high frequency range.
- MASTER 0.00 - 10.00
Adjusts the signal level after the process.
- GAIN 0.00 - 10.00
Adjusts the preamp gain (distortion depth).
- BASS 0.00 - 10.00
Adjusts boost/cut in the low frequency range.
- MID 0.00 - 10.00
Adjusts boost/cut in the middle frequency range.
- TREBLE 0.00 - 10.00
Adjusts boost/cut in the high frequency range.

VX UK30

Simulation of the Vox AC30TBX.

- BRILLIANT 0.00 - 10.00
Adjusts the preamp gain (distortion depth).
- TREBLE 0.00 - 10.00
Adjusts boost/cut in the high frequency range.
- BASS 0.00 - 10.00
Adjusts boost/cut in the low frequency range.
- CUT 0.00 - 10.00
Adjusts cut in the high frequency range.

PV STACK

Simulation of the Peavey 5150.

- CHANNEL RHYTHM: Channel suited for the backing sounds.
LEAD: Channel suited for the lead sounds.
Selects the amplifier channel.
- PRE GAIN (FOR RHYTHM Channel) 0.00 - 10.00
Adjusts the preamp gain (distortion depth).
- BRIGHT (FOR RHYTHM Channel) ON/OFF
Enriches the high frequency range when turned on.
- CRUNCH CLEAN/CRUNCH
CLEAN: The clean sound gets obtained.
CRUNCH: The crunch sound gets obtained.
- PRE GAIN (FOR LEAD CHANNEL) 0.00 - 10.00
Adjusts the preamp gain (distortion depth).
- LOW 0.00 - 10.00
Adjusts boost/cut in the low frequency range.
- MID 0.00 - 10.00
Adjusts boost/cut in the middle frequency range.
- HIGH 0.00 - 10.00
Adjusts boost/cut in the high frequency range.
- POST GAIN 0.00 - 10.00
Adjusts the signal level after the process.
- RESONANCE 0.00 - 10.00
Adjusts boost/cut in the very low frequency range.
- PRESENCE 0.00 - 10.00
Adjusts boost/cut in the very high frequency range.

1959

Simulation of the Marshall 1959.

- PRESENCE 0.00 - 10.00
Adjusts boost/cut in the very high frequency range.
- BASS 0.00 - 10.00
Adjusts boost/cut in the low frequency range.
- MIDDLE 0.00 - 10.00
Adjusts boost/cut in the middle frequency range.
- TREBLE 0.00 - 10.00
Adjusts boost/cut in the high frequency range.
- HIGH TREBLE LOUDNESS1 0.00 - 10.00
Adjusts the high frequency distortion depth.
- NORMAL LOUDNESS2 0.00 - 10.00
Adjusts the low frequency distortion depth.

TWEED BASS

Simulation of the Fender Bassman.

- PRESENCE 1.00-12.00
Adjusts boost/cut in the very high frequency range.
- MIDDLE 1.00-12.00
Adjusts boost/cut in the middle frequency range.
- BASS 1.00-12.00
Adjusts boost/cut in the low frequency range.
- TREBLE 1.00-12.00
Adjusts boost/cut in the high frequency range.
- VOLUME 1.00-12.00
Adjusts the preamp gain (distortion depth).

HW 100 CUSTOM

Simulation of the Hiwatt Custom 100.

- NORMAL VOL 0.00 - 10.00
Adjusts the preamp gain (distortion depth).
- BASS 0.00 - 10.00
Adjusts boost/cut in the low frequency range.
- TREBLE 0.00 - 10.00
Adjusts boost/cut in the high frequency range.
- MIDDLE 0.00 - 10.00
Adjusts boost/cut in the middle frequency range.
- PRESENCE 0.00 - 10.00
Adjusts boost/cut in the very high frequency range.
- MASTER VOL 0.00 - 10.00
Adjusts the signal level after the process.

DZ BERT

Simulation of the Diezel Herbert.

- CHANNEL CHANNEL1: Channel suited for the clean sounds.
CHANNEL2: Channel suited for the crunch sounds.
CHANNEL3: Channel suited for the high gain sounds.
Selects the amplifier channel.
- GAIN 0.00 - 10.00
Adjusts the preamp gain (distortion depth).
- VOLUME 0.00 - 10.00
Adjusts the signal level after the preamp section.
- TREBLE 0.00 - 10.00
Adjusts boost/cut in the high frequency range.

- MIDDLE 0.00 - 10.00
Adjusts boost/cut in the middle frequency range.
- BASS 0.00 - 10.00
Adjusts boost/cut in the low frequency range.
- MID CUT ON/OFF
Cuts the middle frequency range when turned on.
- INTENSE 0.00 - 10.00
Adjusts the cutting amount of the MID CUT.
- LEVEL 0.00 - 10.00
Adjusts the signal level after the mid cut process.
- PRESENCE 0.00 - 10.00
Adjusts boost/cut in the very high frequency range.
- DEEP 0.00 - 10.00
Adjusts boost/cut in the very low frequency range.

MATCHING30

Simulation of the Matchless DC-30.

- VOLUME (FOR CH I) 0.00 -10.00
Adjusts the preamp gain (distortion depth).
- BASS (FOR CH I) 0.00 -10.00
Adjusts boost/cut in the low frequency range.
- TREBLE (FOR CH I) 0.00 -10.00
Adjusts boost/cut in the high frequency range.
- VOLUME (FOR CH II) 0.00 -10.00
Adjusts the preamp gain (distortion depth).
- TONE (FOR CH II) 1-6
Adjusts cut in the low frequency range.
- CUT 0.00 -10.00
Adjusts cut in the high frequency range.
- MASTER 0.00 -10.00
Adjusts the signal level after the process.
- CHANNEL CHANNEL CLEAN/DRIVE
CH I (CLEAN): Channel suited for the clean sounds.
CH II (DRIVE): Channel suited for the lead sounds.

TANGERINE

Simulation of the Orange Graphic 120.

- F.A.C 1 - 6
Adjusts cut in the low frequency range.
- TREBLE 0.00 - 10.00
Adjusts boost/cut in the high frequency range.
- BASS 0.00 - 10.00
Adjusts boost/cut in the low frequency range.
- HF DRIVE 0.00 - 10.00
Adjusts boost/cut in the very high frequency range.
- GAIN 0.00 - 10.00
Adjusts the preamp gain (distortion depth).

Bass Amplifier

CLASSIC AMP

Simulation of the Ampeg SVT.

- **GAIN** 0.00 - 10.00
Adjusts the preamp gain (distortion depth).
- **ULTRA HIGH** ON/OFF
Enriches the high frequency range when turned on.
- **ULTRA LOW** ON/OFF
Enriches the low frequency range when turned on.
- **BASS** 0.00 - 10.00
Adjusts boost/cut in the low frequency range.
- **MID RANGE** 0.00 - 10.00
Adjusts boost/cut in the middle frequency range.
- **FREQUENCY** 220Hz/450Hz/800Hz/1600Hz/3000Hz
Selects the target frequency of the MID RANGE parameter.
- **TREBLE** 0.00 - 10.00
Adjusts boost/cut in the high frequency range.
- **MASTER** 0.00 - 10.00
Adjusts the signal level after the process.

100BASSMAN

Simulation of the Fender Bassman 100.

- **DEEP** ON/OFF
Enriches the low frequency range when turned on.
- **VOLUME** 1.00 - 10.00
Adjusts the preamp gain (distortion depth).
- **TREBLE** 1.00 - 10.00
Adjusts boost/cut in the high frequency range.
- **BASS** 1.00 - 10.00
Adjusts boost/cut in the low frequency range.
- **MASTER** 1.00 - 10.00
Adjusts the signal level after the process.

MS SUPER B

Simulation of the Marshall Super Bass.

- PRESENCE 0.00 - 10.00
Adjusts boost/cut in the very high frequency range.
- BASS 0.00 - 10.00
Adjusts boost/cut in the low frequency range.
- MIDDLE 0.00 - 10.00
Adjusts boost/cut in the middle frequency range.
- TREBLE 0.00 - 10.00
Adjusts boost/cut in the high frequency range.
- VOLUME I 0.00 - 10.00
Adjusts the high frequency distortion depth.
- VOLUME II 0.00 - 10.00
Adjusts the low frequency distortion depth.

AC BASS370

Simulation of the Acoustic 370.

- BRT ON/OFF
Enriches the high frequency range when turned on.
- VOLUME 0.00 - 10.00
Adjusts the preamp gain (distortion depth).
- TREBLE -5.00 - 5.00
Adjusts boost/cut in the high frequency range.
- MID-RANGE -5.00 - 5.00
Adjusts boost/cut in the middle frequency range.
- BASS -5.00 - 5.00
Adjusts boost/cut in the low frequency range.
- GRAPHIC EQUALIZER
 - 50Hz -5.00 - 5.00
Adjusts the boost/cut amount around 50Hz.
 - 100Hz -5.00 - 5.00
Adjusts the boost/cut amount around 100Hz.
 - 200Hz -5.00 - 5.00
Adjusts the boost/cut amount around 200Hz.
 - 300Hz -5.00 - 5.00
Adjusts the boost/cut amount around 300Hz.
 - 400Hz -5.00 - 5.00
Adjusts the boost/cut amount around 400Hz.

HRT3500

Simulation of the Hartke HA3500.

- TUBE 0.00 - 10.00
Adjusts the mix level through the simulated tube amplifier.
- SOLID STATE 0.00 - 10.00
Adjusts the mix level through the simulated solid-state circuit.
- COMP OFF/ 0.00 – Inf
Adjusts the sensitivity of the compressor.
- IN/OUT IN(ON)/OUT(OFF)
Sets ON/OFF the GRAPHIC EQUALIZER.
- GRAPHIC EQUALIZER
 - 30Hz -15.00dB - 15.00dB
Adjusts the boost/cut amount around 30Hz.
 - 64Hz -15.00dB - 15.00dB
Adjusts the boost/cut amount around 64Hz.
 - 125Hz -15.00dB - 15.00dB
Adjusts the boost/cut amount around 125Hz.
 - 250Hz -15.00dB - 15.00dB
Adjusts the boost/cut amount around 250Hz.
 - 500Hz -15.00dB - 15.00dB
Adjusts the boost/cut amount around 500Hz.
 - 1kHz -15.00dB - 15.00dB
Adjusts the boost/cut amount around 1kHz.
 - 2kHz -15.00dB - 15.00dB
Adjusts the boost/cut amount around 2kHz.
 - 3kHz -15.00dB - 15.00dB
Adjusts the boost/cut amount around 3kHz.
 - 5kHz -15.00dB - 15.00dB
Adjusts the boost/cut amount around 5kHz.
 - 8kHz -15.00dB - 15.00dB
Adjusts the boost/cut amount around 8kHz.
- CONTOUR LOW PASS -18.00 - 18.00
Equalizes the low frequency range widely.
- CONTOUR HIGH PASS -18.00 - 18.00
Equalizes the high frequency range widely.
- MASTER VOLUME 0.00 - 10.00
Adjusts the signal level after the process.

Cabinet

Common Parameter

- DISTANCE 0.00-10.00
Reverberates the sound as the cabinet gets farther.

BRIGHT COMBO 2x12

Simulation of the 2x12" Fender TwinReverb '65 cabinet.

JAZZ COMBO 2x12

Simulation of the 2x12" Roland JC-120 cabinet.

MS CRUNCH STACK 4x12

Simulation of the 4x12" Marshall 1960A.

MB DUAL STACK 4x12

Simulation of the 4x12" Mesa/Boogie Recto Standard Armor.

UK30 COMBO 2x12

Simulation of the 2x12" Vox AC30TBX cabinet.

PV STACK 4x12

Simulation of the 4x12" Peavey 5150SL.

B/M COMBO 4x10

Simulation of the 4x10" Fender Bassman cabinet.

HC100 STACK 4x12

Simulation of the 4x12" Hiwatt SE-4123.

TANGERINE STACK 4x12

Simulation of the 4x12" Orange PPC412.

DZ BERT STACK 4x12

Simulation of the 4x12" Diezel V412FD.

DC COMBO 2x12

Simulation of the 2x12" Matchless DC-30 cabinet.

CLASSIC AMP STACK 8x10

Simulation of the 8x10" Ampeg SVT-810E.

B/M100 STACK 4x12

Simulation of the 4x12" Fender Bassman cabinet.

MS SUPER BASS STACK 4x12

Simulation of the 4x12" Marshall 1953A.

AC BASS370 STACK 1x18

Simulation of the 1x18" Acoustic 301.

HRT Stack 4x10

Simulation of the 4x10" Hartke4.5XL.

Mic

Common Parameter

- POSITION L10.00 – C10.00 – R10.00
Adjusts the microphone position.

DYNAMIC57

Simulation of the Shure SM57.

CONDENSER414

Simulation of the AKG C414.

DYNAMIC421

Simulation of the Sennheiser MD421.

CONDENSER87

Simulation of the Neumann U 87.

Comp/Wah

DYNAMIC COMPRESSOR

Simulation of the MXR DynaComp.

- LEVEL 0.00 - 10.00
Adjusts the signal level after the process.
- SENSITIVITY 0.00 - 10.00
Adjusts the compressor sensitivity. Higher setting values result in higher sensitivity.

COMPRESSOR

Compressor with detailed parameters.

- THRESHOLD 0.00 - 10.00
Adjusts the reference signal level for the compressor action.
- RATIO 1.00:1 - 20.00:1
Adjusts the compression ratio.
- ATTACK 0.1ms - 99.0ms
Adjusts the compressor attack speed.
- RELEASE 0.00ms - 999.00ms
Adjusts the release response of the compression when the signal comes below threshold.

LIMITER

This is a limiter that suppresses signal peaks above a certain reference level.

- THRESHOLD 0.00 - 10.00
Adjusts the reference signal level for the compressor action.
- RATIO 1.00:1 - ∞ :1
Adjusts the compression ratio.
- LEVEL 0.00 - 10.00
Adjusts the signal level after the process.

AUTO WAH

This effect varies wah in accordance with picking intensity.

- SENSE 0.00 - 10.00
Adjusts the effect sensitivity
- RESONANCE 0.00 - 10.00
Adjusts the intensity of the resonance sound.

- LEVEL 0.00 - 10.00
Adjusts the signal level after the process.

RING MODULATOR

This effect produces a metallic ringing sound. Adjusting the "Freq" parameter results in a drastic change of sound character.

- FREQUENCY 41.00Hz - 2093.00Hz
Adjusts the modulation frequency.
- BALANCE 0.00 - 10.00
Adjusts the balance between original sound and effect sound.
- TONE 0.00 - 10.00
Adjusts the tonal quality of the sound.
- LEVEL 0.00 - 10.00
Adjusts the signal level after the process.

PEDAL BOX

Simulation of the Vox vintage wah pedal.

- DRY MIX 0.00 - 10.00
Adjusts the level of the original sound mixed to the effect sound.
- LEVEL 0.00 - 10.00
Adjusts the signal level after the process.
- PEDAL POSITION 0.00 - 10.00
Adjusts the frequency that is emphasized. When the expression pedals are not used, the effect is similar to a half open pedal.

PEDAL CRY

Simulation of the Dunlop Cry Baby, the vintage wah pedal.

- DRY MIX 0.00 - 10.00
Adjusts the level of the original sound mixed to the effect sound.
- LEVEL 0.00 - 10.00
Adjusts the signal level after the process.
- PEDAL POSITION 0.00 - 10.00
Adjusts the frequency that is emphasized. When the expression pedals are not used, the effect is similar to a half open pedal.

Distortion

OVER DRIVEN

Simulation of the Boss OD-1.

- LEVEL 0.00-10.00
Adjusts the signal level after the process.
- DRIVE 0.00-10.00
Adjusts the preamp gain (distortion depth).

TUBE SCREAMEN

Simulation of the Ibanez TS808.

- OVERDRIVE 0.00 - 10.00
Adjusts the preamp gain (distortion depth).
- TONE 0.00 - 10.00
Adjusts the tonal quality of the sound.
- LEVEL 0.00 - 10.00
Adjusts the signal level after the process.

THE GOVERNOR

Simulation of the Marshall The Guv'nor.

- GAIN 0.00 - 10.00
Adjusts the preamp gain (distortion depth).
- BASS 0.00 - 10.00
Adjusts boost/cut in the low frequency range.
- MIDDLE 0.00 - 10.00
Adjusts boost/cut in the middle frequency range.
- TREBLE 0.00 - 10.00
Adjusts boost/cut in the high frequency range.
- LEVEL 0.00 - 10.00
Adjusts the signal level after the process.

SQUEAK

Simulation of the Pro Co Rat.

- DISTORTION 0.00 - 10.00
Adjusts the preamp gain (distortion depth).

- FILTER 0.00 - 10.00
Adjusts the tonal quality of the sound.
- VOLUME 0.00 - 10.00
Adjusts the signal level after the process.

FUZZ SMILE

Simulation of the Dunlop Dallas Arbiter Fuzz Face.

- VOLUME 0.00 - 10.00
Adjusts the signal level after the process.
- FUZZ 0.00 - 10.00
Adjusts the preamp gain (distortion depth).

+DISTORTION

Simulation of the MXR Distortion+.

- OUTPUT 0.00 - 10.00
Adjusts the signal level after the process.
- DISTORION 0.00 - 10.00
Adjusts the preamp gain (distortion depth).

GREAT MUFF

Simulation of the Electro-Harmonix Big Muff.

- VOLUME 0.00 - 10.00
Adjusts the signal level after the process.
- TONE 0.00 - 10.00
Adjusts the tonal quality of the sound.
- SUSTAIN 0.00 - 10.00
Adjusts the preamp gain (distortion depth).

METAL WORLD

Simulation of the Boss Metal Zone MT-2.

- LEVEL 0.00 - 10.00
Adjusts the signal level after the process.
- LOW -15.00dB - 15.00dB
Adjusts boost/cut in the low frequency range.
- HIGH -15.00dB - 15.00dB
Adjusts boost/cut in the high frequency range.
- MID FREQUENCY 200.00Hz - 5000.00Hz
Selects the target frequency of the MIDDLE parameter.

- MIDDLE -15.00dB - 15.00dB
Adjusts boost/cut in the middle frequency range.
- DISTORTION 0.00 - 10.00
Adjusts the preamp gain (distortion depth).

BOOSTER

This is a booster for increasing signal gain.

- TYPE BASS BOOST: Boosts the low frequency range.
 MID BOOST: Boosts the middle frequency range.
 TREBLE BOOST: Boosts the high frequency range.
 Selects the booster type.
- TONE 0.00 - 10.00
Adjusts the tonal quality of the sound.
- BOOST 0.00 - 10.00
Adjusts the boost amount.

ACOUSTIC SIMULATOR

This effect makes an electric guitar sound like an acoustic guitar.

- TOP 0.00 - 10.00
Adjusts the characteristic strings sound of an acoustic guitar.
- BODY 0.00 - 10.00
Adjusts the characteristic body sound of an acoustic guitar.
- LEVEL 0.00 - 10.00
Adjusts the signal level after the process.

Modulation

CHORUS

This effect mixes a variable pitch-shifted component to the original signal, resulting in full-bodied resonating sound.

- **DEPTH** 0.00 - 10.00
Adjusts the effect depth.
- **RATE** 0.10Hz - 5.10Hz
Adjusts the modulation rate.
- **TONE** 0.00 - 10.00
Adjusts the tonal quality of the sound.
- **MIX** 0.00 - 10.00
Adjusts the level of the effect sound mixed to the original sound.

ENSEMBLE

This is a chorus ensemble with three-dimensional movement.

- **DEPTH** 0.00 - 10.00
Adjusts the effect depth.
- **RATE** 0.10Hz - 10.00Hz
Adjusts the modulation rate.
- **MIX** 0.00 - 10.00
Adjusts the level of the effect sound mixed to the original sound.

CHORUS VIBRATO

Simulation of the Boss CE-1.

- **LEVEL CONTROL** 0.00 - 10.00
Adjusts the signal level before the process.
- **CHORUS INTENSITY** 0.00 - 10.00
Adjusts the chorus intensity.
- **DEPTH (FOR VIBRATO)** 0.00 - 10.00
Adjusts the effect depth.
- **RATE (FOR VIBRATO)** 2.86Hz - 10.82Hz
Adjusts the modulation rate.
- **VIBRATO CHORUS** Chorus/Vibrato
Switches the effect between chorus and vibrato.

TREMOLO

This effect periodically varies the volume level.

- DEPTH 0.00 - 10.00
Adjusts the effect depth.
- RATE 0.50Hz - 19.50Hz
Adjusts the modulation rate.
- LFO CLIP 0.00 - 10.00
Emphasises the effect by clipping the peaks.
- WAVE TRIANGLE (triangle wave) /SAW (saw wave) /RV.SAW (reversed saw wave)
Selects the modulation wave from above.
- BPM SYNC ON/OFF
Synchronizes to BPM in accordance with SYNC PATTERN parameter, when turned on.
- SYNC PATTERN See Table 1.
- TAP Sets the modulation rate through the tapping interval.

Table 1

Image	Detail
	Thirty-second note
	Sixteenth note
	Quarter triplet note
	Dotted sixteenth note
	Eighth note
	Half triplet note

Image	Detail
	Dotted eighth note
	Quarter note
	Dotted quarter note
	Quarter note x 2
:	
	Quarter note x 20

* For the delay effects, sixteenth note and further is available.

FLANGER

This effect produces a resonating and strongly undulating sound.

- DEPTH 0.00-10.00
Adjusts the effect depth.
- RATE 0.04Hz - 15.00Hz
Adjusts the modulation rate.
- Manual 0.00-10.00
Adjusts the frequency range on which the effect operates.
- RESONANCE 0.00-10.00
Adjusts the resonance intensity.

- INVERT ON/OFF
Inverts the polarity of the feedback.
- BPM SYNC ON/OFF
Synchronizes to BPM in accordance with SYNC PATTERN parameter, when turned on.
- SYNC PATTERN See table 1 (Appendix-19).
- TAP Sets the modulation rate through the tapping interval.

PHASER

This effect produces a swooshing sound.

- RATE 0.10Hz - 8.50Hz
Adjusts the modulation rate.
- COLOR 4STAGE/4STAGE INV/8STAGE/8STAGE INV
Adjusts the sound color.
- BPM SYNC ON/OFF
Synchronizes to BPM in accordance with SYNC PATTERN parameter, when turned on.
- SYNC PATTERN See table 1 (Appendix-19).
- TAP Sets the modulation rate through the tapping interval.

OCTAVE

This effect mixes the sound 1 and 2 octave below.

- 1 OCT LEVEL 0.00 - 10.00
Adjusts the level of the one octave lower sound component.
- 2 OCT LEVEL 0.00 - 10.00
Adjusts the level of the two octave lower sound component.
- DRY LEVEL 0.00 - 10.00
Adjusts the level of the original sound.

CRY

This effect varies the sound like a talking modulator.

- SENSE 0.00 - 10.00
Adjusts the effect sensitivity.
- RESONANCE 0.00 - 10.00
Adjusts the resonance intensity.
- RANGE 0.00 - 10.00
Adjusts the frequency range processed by the effect.
- BALANCE 0.00 - 10.00
Adjusts the balance between original sound and effect sound.

- INVERT ON/OFF
Inverts the envelope.

H.P.S

This is an intelligent pitch shifter that automatically generates harmonies according to a preset key and scale.

- TONE 0.00 - 10.00
Adjusts the tonal quality of the sound.
- MIX 0.00 -10.00
Adjusts the level of the effect sound mixed to the original sound.
- KEY C, C#, D, D#, E, F, F#, G, G#, A, A#, B
Determines the tonic for the scale used for pitch shifting.
- TYPE Of Scale See Table 2
Determines the scale for the pitch shifted sound.
- INTERVAL See Table 2
Determines the interval for the pitch shifted sound.

Table 2

Type Of Scale	Interval
Major	-6
	-5
	-4
	-3
Minor	-3
	3
Major	3
	4
	5
	6

PITCH SHIFTER

This effect shifts the pitch up or down.

- SHIFT -12 - 12/24
Sets the pitch shift amount in semitones.
- FINE -25cent – 25cent
Allows fine adjustment of pitch shift amount in Cent (1/100 semitone) steps.
- TONE 0.00 - 10.00
Adjusts the tonal quality of the sound.

- **BALANCE** 0.00 – 10.00
Adjusts the balance between original sound and effect sound.

MONO PITCH

This is a pitch shifter specifically for monophonic sound (single-note playing), with little sound fluctuation.

- **SHIFT** -12 - 12 / 24
Adjusts the pitch shift amount in semitones.
- **FINE** -25cent – 25cent
Allows fine adjustment of pitch shift amount in Cent (1/100 semitone) steps.
- **TONE** 0.00 - 10.00
Adjusts the tonal quality of the sound.
- **BALANCE** 0.00 - 10.00
Adjusts the balance between original sound and effect sound.

PEDAL PITCH

This effect allows using a pedal to shift the pitch in real time.

- **TONE** 0.00 - 10.00
Adjusts the tonal quality of the sound.
- **COLOR** See Table 1 (Appendix-22)
Selects the type of pitch change caused by the pedal.
- **PEDAL POSITION** 0.00 - 10.00
Sets the pitch shift amount. Depending on the "Color" setting, the balance between original sound and effect sound also changes accordingly.

PEDAL MONO PITCH

This is a pitch shifter specifically for monophonic sound (single-note playing), which allows the pitch to be shifted in real time with an expression pedal.

- **TONE** 0.00 - 10.00
Adjusts the tonal quality of the sound.
- **COLOR** See Table 3
Selects the type of pitch change caused by the pedal.
- **PEDAL POSITION** 0.00 - 10.00
Sets the pitch shift amount. Depending on the "Color" setting, the balance between original sound and effect sound also changes accordingly.

Table 3

MAX	MIN
+1 Octave + Dry	-1 Octave + Dry
+500 Cent + Dry	-700 Cent + Dry
+1 Octave	$-\infty$ + Dry
+1 Octave + Dry	$-\infty$ + Dry
Original Sound Only	-100 Cent
Detune + Dry	Doubling
+1 Octave	0 Cent
-2 Octave	0 Cent

STEP

Special effect that changes the sound in a staircase pattern.

- DEPTH 0.00 - 10.00
Adjusts the modulation depth.
- RATE 0.40Hz - 20.00Hz
Adjusts the modulation rate.
- RESONANCE 0.00 - 10.00
Adjusts the resonance intensity.
- BPM SYNC ON/OFF
Synchronizes to BPM in accordance with SYNC PATTERN parameter, when turned on.
- SYNC PATTERN See table 1 (Appendix-19).
- TAP Sets the modulation rate through the tapping interval.

VIBRATO

This is an effect with automatic vibrato.

- DEPTH 0.00 - 10.00
Adjusts the effect depth.
- RATE 0.40Hz - 10.00Hz
Adjusts the modulation rate.
- BALANCE 0.00 - 10.00
Adjusts the balance between original sound and effect sound.
- BPM SYNC ON/OFF
Synchronizes to BPM in accordance with SYNC PATTERN parameter, when turned on.
- SYNC PATTERN See table 1 (Appendix-19).
- TAP Sets the modulation rate through the tapping interval.

Delay/Reverb

DELAY, TAPE ECHO, ANALOG DELAY, REVERSE DELAY Common Parameters

- **TIME** 10ms - 5000ms
Sets the delay time.
- **FEEDBACK** 0.00 - 10.00
Adjusts the amount of feedback. Higher setting values result in a higher number of delay sound repetitions.
- **HI-DAMP** 0.00 - 10.00
Adjusts the treble attenuation of the delay sound. Lower setting values result in softer delay sound.
- **MIX** 0.00 - 10.00
Adjusts the level of the effect sound mixed to the original sound.
- **MONO/PINGPONG** MONO: Outputs the delay sound monaurally.
PINGPONG: Outputs the sound alternately from left and right.
- **BPM SYNC** ON/OFF
Synchronizes to BPM in accordance with SYNC PATTERN parameter, when turned on.
- **SYNC PATTERN** See table 1 (Appendix-19).
- **TAP** Sets the delay time through the tapping interval.

DELAY

This is a long delay with a maximum setting of 5000 ms.

TAPE ECHO

This effect simulates a tape echo with a long delay time of up to 5000 ms.

ANALOG DELAY

This effect simulates an analog delay with a long delay time of up to 5000 ms.

REVERSE DELAY

This is a reverse delay with a long delay time of up to 5000 ms.

HALL

This reverb effect simulates the acoustics of a concert hall.

- **DECAY** 0.00 - 10.00
Sets the duration of the reverb.
- **PRE-DELAY** 10.50ms - 90.50ms
Adjusts the delay between input of the original sound and start of the reverb sound.
- **TONE** 0.00 - 10.00
Adjusts the tonal quality of the sound.
- **MIX** 0.00 - 10.00
Adjusts the level of the effect sound mixed to the original sound.

ROOM

This reverb effect simulates the acoustics of a room.

- **DECAY** 0.00 - 10.00
Sets the duration of the reverb.
- **PRE-DELAY** 2.00ms - 50.00ms
Adjusts the delay between input of the original sound and start of the reverb sound.
- **TONE** 0.00 - 10.00
Adjusts the tonal quality of the sound.
- **MIX** 0.00 - 10.00
Adjusts the level of the effect sound mixed to the original sound.

PLATE

This effect simulates a plate-type reverb.

- **DECAY** 0.00 - 10.00
Sets the duration of the reverb.
- **PRE-DELAY** 10.50ms - 100.00ms
Adjusts the delay between input of the original sound and start of the reverb sound.
- **TONE** 0.00 - 10.00
Adjusts the tonal quality of the sound.
- **MIX** 0.00 - 10.00
Adjusts the level of the effect sound mixed to the original sound.

SPRING

This effect simulates a spring-type reverb.

- **DECAY** 0.00 - 10.00
Sets the duration of the reverb.
- **MIX** 0.00 - 10.00
Adjusts the level of the effect sound mixed to the original sound.

Tools

ZNR

This module serves for reducing noise during playing pauses. It offers a choice between noise reduction and noise gate (muting during pauses).

- **THRESHOLD** 0.00 - 10.00
Adjusts the ZNR sensitivity. For maximum noise reduction, set the value as high as possible without causing the sound to decay unnaturally.

VOLUME PEDAL

This module lets the volume to be adjusted.

- **TYPE** 1: Changes the volume lineally.
 2: Changes the volume gradually.
 3: Changes the volume abruptly.
Selects how the volume changes.
- **VOLUME** 0.00 - 10.00
Adjusts the signal level.

EQ

This module is a 10 band equalizer.

- **31.25Hz** -12.00dB - 12.00dB
Adjusts the boost/cut amount around 31.25Hz.
- **62.5Hz** -12.00dB - 12.00dB
Adjusts the boost/cut amount around 62.5Hz.
- **125Hz** -12.00dB - 12.00dB
Adjusts the boost/cut amount around 125Hz.
- **250Hz** -12.00dB - 12.00dB
Adjusts the boost/cut amount around 250Hz.
- **500Hz** -12.00dB - 12.00dB
Adjusts the boost/cut amount around 500Hz.
- **1kHz** -12.00dB - 12.00dB
Adjusts the boost/cut amount around 1kHz.
- **2kHz** -12.00dB - 12.00dB
Adjusts the boost/cut amount around 2kHz.
- **4kHz** -12.00dB - 12.00dB
Adjusts the boost/cut amount around 4kHz.
- **8kHz** -12.00dB - 12.00dB
Adjusts the boost/cut amount around 8kHz.

- 16kHz -12.00dB - 12.00dB
Adjusts the boost/cut amount around 16kHz.
- VOLUME -InfdB - 6.02dB
Adjusts the signal level after the process.

AMP MODULE

This module is for the addition amplifiers.

SPLITTER

This module splits the input signal into two.

MIXER

This module mixes two input signals.

- LEVEL A -Inf dB - 6.02dB
Adjusts the input A level.
- PAN A L100 - C0 - R100
Adjusts the input A panning.
- LEVEL B -Inf dB - 6.02dB
Adjusts the input B level.
- PAN B L100 - C0 - R100
Adjusts the input B panning.

ISOLATOR

This module splits the input signal at a certain frequency range.

- FREQUENCY 0.00Hz – 11000.00Hz
Adjusts the frequency where the signal gets split.

USB Audio Interface S2t/C5.1t

MIDI IMPLEMENTATION

REVISION HISTORY;

Ver 1.00 20.February,2008 - First Issue

ZOOM Corporation TOKYO, JAPAN

Z4E-0034-A4P

1. Transmitted Messages

1) CHANNEL VOICE MESSAGE

*Control Change

STATUS	SECOND	THIRD	DESCRIPTION		
BOH	01H	ss	External Foot Switch (S2t)	ss: switch status	(See NOTE 1)
BOH	04H	vv	External Foot Pedal (S2t)	vv: pedal value	(See NOTE 2)
BOH	04H	vv	Expression Pedal (C5.1t)	vv: pedal value	(See NOTE 2)
BOH	06H	ss	Kickdown Switch (C5.1t)	ss: switch status	(See NOTE 1)
BOH	41H	ss	Foot Switch1 (C5.1t)	ss: switch status	(See NOTE 1)
BOH	44H	ss	Foot Switch2 (C5.1t)	ss: switch status	(See NOTE 1)
BOH	46H	ss	Foot Switch3 (C5.1t)	ss: switch status	(See NOTE 1)
BOH	47H	ss	Foot Switch4 (C5.1t)	ss: switch status	(See NOTE 1)
BOH	48H	ss	Foot Switch5 (C5.1t)	ss: switch status	(See NOTE 1)

NOTE: 1. The 3rd byte of Control Change (ss) will be transmitted as:
 7FH Foot Switch is pushed
 00H Foot Switch is released

2. The 3rd byte of Control Change (ss) will be transmitted as:
 7FH Pedal is raised up
 00H Pedal is pushed down
 Pedal value changes from 00H to 7FH.

MIDI Channel Number is fixed as '1'.

2. Recognized Messages

NONE

3. System Exclusive Messages

NONE

4. Appendix

1). MIDI Implementation Chart

[USB Audio Interface] Model S2t/C5.1t		MIDI Implementation Chart		Date : 20.Feb. 2008 Version :1.00
Function ...	Transmitted	Recognized	Remarks	
Basic Default	0	x		
Channel Changed	x	x		
Mode Default	x	3		
Messages	x	x		
Altered				
Note	x	x		
Number True voice	x	x		
Velocity Note ON	x	x		
Note OFF	x	x		
After Key's	x	x		
Touch Ch's	x	x		
Pitch Bend	x	x		
Control	1	x	External Foot Switch (S2t)	
	4		Expression/External Foot Pedal (S2t/C5.1t)	
Change	6		Pedal Switch(C5.1t)	
	65		Foot Switch1(C5.1t)	
	68		Foot Switch2(C5.1t)	
	70		Foot Switch3(C5.1t)	
	71		Foot Switch4(C5.1t)	
	72		Foot Switch5(C5.1t)	
Prog Change True #	x	x		
System Exclusive	o	o		
System Qtr Frame	x	x		
Song Pos	x	x		
Song Sel	x	x		
Common Tune	x	x		
System Clock	x	x		
Real Time Commands	x	x		
Aux Local ON/OFF	x	x		
All Notes OFF	x	x		
Mes- Active Sense	x	x		
sages Reset	x	x		
Notes				
Mode 1 : OMNI ON, POLY	Mode 2 : OMNI ON, MONO	o : Yes		
Mode 3 : OMNI OFF, POLY	Mode 4 : OMNI OFF, MONO	x : No		